Surface Science 267 (1992) 647–664
North-Holland



Author index

Abe, H., see Ueno	267 (1992)	43
Abstreiter, G., see Vogl	267 (1992)	83
Abstreiter, G., see Wilhelm	267 (1992)	90
Abstreiter, G., see Brunner	267 (1992)	218
Akasaki, I., see Okuno	267 (1992)	570
Akimoto, H., see Ishida	267 (1992)	149
Aladim, S.R., see Cohen	267 (1992)	464
Alexandrou, A., see Ohno	267 (1992)	161
Alperovich, V.L., V.A. Haisler, A.S. Jaroshevich, N.T. Moshegov, A.S. Terekhov, A.I. Toropov and V.A. Tkachenko, Electron and hole tunneling resonances of Wannier–Stark states in GaAs/AlAs superlattices	267 (1992)	541
Amano, A., see Tanino	267 (1992)	422
Ando, H., see Kasu	267 (1992)	300
Ando, S., see Chang	267 (1992)	214
Ando, S., see Fukui	267 (1992)	236
André, J.P., see Lugagne-Delpon	267 (1992)	479
Arakawa, Y., see Yamauchi	267 (1992)	291
Arimoto, H., see Tackeuchi	267 (1992)	267
Aristone, F., see Cury	267 (1992)	383
Armelles, G., see Castrillo	267 (1992)	413
Asahi, H., S.J. Yu, J. Takizawa, S.G. Kim, Y. Okuno, T. Taneko, S. Emura, S. Gonda, H. Kubo, C. Hamaguchi and Y. Hirayama, InGaAsP/InP quantum wires fabricated by focused Ga ion beam implantation	267 (1992)	232
Asahi, H., M. Tewordt, R.T. Syme, M.J. Kelly, V.J. Law, J.E.F. Frost, D.A. Ritchie, G.A.C. Jones and M. Pepper, Fine structure in the *I–V* characteristics of GaAs/AlGaAs submicron diameter triple barrier diodes	267 (1992)	388
Asahi, H., see Asami	267 (1992)	450
Asami, K., H. Asahi, T. Watanabe, S. Gonda, H. Okumura and S. Yoshida, Photoluminescence and electroreflectance of GaP/AlP superlattices grown by gas source MBE	267 (1992)	450
Ashenford, D.E., see Grimes	267 (1992)	133
Ashenford, D.E., see Jackson	267 (1992)	145
Ashenford, D.E., see Lawless	267 (1992)	354
Ashizawa, Y., see Tezuka	267 (1992)	518
Auvray, P., see Deveaud	267 (1992)	558
Azoulay, R., see Marzin	267 (1992)	253
Baroni, S., see Jusserand	267 (1992)	171
Barticevic, Z., M. Pacheco and F. Claro, Electronic and optical spectrum for a superlattice in parallel magnetic and electric fields: Six-band model	267 (1992)	545
Bass, S.J., see Hayes	267 (1992)	493
Bastard, G. and R. Ferreira, Spin-flip scattering times in semiconductor quantum wells	267 (1992)	335

Elsevier Science Publishers B.V. and Yamada Science Foundation

Bastard, G., see Roussignol 267 (1992) 360
Bauer, G., see Kriechbaum 267 (1992) 349
Bauer, G.E.W. and H. Sakaki, Polarization anisotropies in quantum wells 267 (1992) 442
Bauer, S., see Foad 267 (1992) 223
Bean, J.C., see Yin 267 (1992) 99
Benchimol, J.-L., see Marzin 267 (1992) 253
Beresford, R., see Brozak 267 (1992) 120
Berger, V., see Vinter 267 (1992) 601
Berroir, J.M., see Deleporte 267 (1992) 137
Bertolet, D.C., see Viña 267 (1992) 533
Bhat, R., see Kapon 267 (1992) 593
Bierwolf, R., see Brandt 267 (1992) 204
Bimberg, D., see Grundmann 267 (1992) 47
Bimberg, D., see Christen 267 (1992) 257
Bird, J.P., A.D.C. Grassie, M. Lakrimi, K.M. Hutchings, P. Meeson, J.J. Harris and C.T. Foxon, Coherence limiting length scale in ultra high mobility GaAs/AlGaAs heterojunction wires 267 (1992) 277
Bird, J.P., see Kitatani 267 (1992) 583
Birotheau, L., see Marzin 267 (1992) 253
Björk, G., see Yamamoto 267 (1992) 605
Böckenhoff, E., see Vinter 267 (1992) 601
Böhm, G., see Brunner 267 (1992) 218
Brandt, O., L. Tapfer, K. Ploog, R. Bierwolf, F. Phillipp and M. Hohenstein, Direct synthesis of InAs quantum dots in single-crystalline GaAs matrix by molecular beam epitaxy 267 (1992) 204
Brandt, O., H. Lage, G.C. La Rocca, A. Heberle and K. Ploog, Role of broken translational invariance for the optical response of excitons in low-dimensional semiconductors 267 (1992) 319
Briones, F., see Castrillo 267 (1992) 413
Broido, D.A., see Brozak 267 (1992) 120
Brozak, G., B.V. Shanabrook, D. Gammon, D.A. Broido, R. Beresford and W.I. Wang, Intersubband transitions in piezoelectric superlattices 267 (1992) 120
Brozak, G., see Cheng 267 (1992) 488
Brunner, K., G. Abstreiter, M. Walther, G. Böhm and G. Tränkle, Optical characterization of GaAs/AlGaAs nanostructures fabricated by focussed laser beam induced thermal interdiffusion 267 (1992) 218
Buchanan, M., see Liu 267 (1992) 514

Calle, F., J.M. Calleja, C. Tejedor, L. Viña, Double Raman resonances by light and heavy magneto-excitons in GaAs/AlAs multiquantum wells 267 (1992) 418
Calleja, J.M., see Calle 267 (1992) 418
Carraresi, L., see Roussignol 267 (1992) 360
Castrillo, P., G. Armelles, P.S. Domínguez, J. Meléndez, F. Briones and K. Ploog, Growth and characterization of AlAs/InAs superlattices on {100},{211} and {311} GaAs substrates 267 (1992) 413
Chamberlain, J.M., see Grimes 267 (1992) 133
Chang, L.L., see Munekata 267 (1992) 342
Chang, S.S., S. Ando and T. Fukui, Fabrication of high density ultrafine GaAs quantum wire array structures using selective metalorganic chemical vapor deposition 267 (1992) 214
Cheng, J.-P., B.D. McCombe and G. Brozak, Impurity-bound magnetopolarons in confined structures 267 (1992) 488

Chikyow, T., S. Takahashi and N. Koguchi, Surface structure dependence of GaAs microcrystals size grown by As-incorporation into Ga droplets 267 (1992) 241
Cho, A.Y., see Cury 267 (1992) 383
Choi, K.K., see Dutta 267 (1992) 474
Chomette, A., see Deveaud 267 (1992) 199
Chomette, A., see Deveaud 267 (1992) 558
Christen, J., E. Kapon, E. Colas, D.M. Hwang, L.M. Schiavone, M. Grundmann and D. Bimberg, Cathodoluminescence investigation of lateral carrier confinement in GaAs/AlGaAs quantum wires grown by OMCVD on nonplanar substrates 267 (1992) 257
Churchill, A.C., see Thompson 267 (1992) 69
Cingolani, R., see Tapfer 267 (1992) 227
Cingolani, R., Y.H. Zhang, R. Rinaldi, M. Ferrara and K. Ploog, Momentum conservation of the electron–hole recombination near the one-component to two-component carrier plasma transition 267 (1992) 457
Claro, F., see Barticevic 267 (1992) 545
Clérot, F., see Deveaud 267 (1992) 558
Cohen, A.M., S.R. Aladim and G.E. Marques, Hybridization and strain effects on the optical absorption of quantum wells 267 (1992) 464
Colas, E., see Christen 267 (1992) 257
Colocci, M., see Roussignol 267 (1992) 360
Costard, E., see Vinter 267 (1992) 601
Cury, L.A., D.K. Maude, F. Aristone, J.C. Portal, D.L. Sivco, A.Y. Cho and G. Hill, The influence of a two- or three-dimensional electron gas in the emitter of resonant tunnelling structures 267 (1992) 383

Damen, T., see Shah 267 (1992) 304
Das Sarma, S., see Tamborenea 267 (1992) 1
Däweritz, L., see Nötzel 267 (1992) 209
Delalande, C., see Deleporte 267 (1992) 137
Delalande, C., see Roussignol 267 (1992) 360
Deleporte, E., G. Peter, J.M. Berroir and C. Delalande, Optical investigations of a CdTe/(Cd,Zn)Te quantum well separate confinement heterostructure 267 (1992) 137
Demel, T., see Heitmann 267 (1992) 245
Deveaud, B., A. Chomette, N. Roy, B. Sermage and D.S. Katzer, Optical characterization of the interface in GaAs/AlAs quantum wells 267 (1992) 199
Deveaud, B., A. Chomette, F. Clérot, B. Lambert, P. Auvray, M. Gauneau and A. Regreny, Direct probing of vertical electron movement in superlattices by sub-picosecond luminescence 267 (1992) 558
Ding, J., see Ishihara 267 (1992) 323
Ding, J., H. Jeon, T. Ishihara, A.V. Nurmikko, H. Luo, N. Samarth and J. Furdyna, Excitonic gain and stimulated emission in ZnSe-based quantum wells up to room temperature 267 (1992) 616
Doguchi, T., see Nakayama 267 (1992) 537
Döhler, G.H., see Gulden 267 (1992) 566
Domínguez, P.S., see Castrillo 267 (1992) 413
Dum, R., see Nithisoontorn 267 (1992) 505
Dutta, M., H. Shen, D.D. Smith, K.K. Choi and P.G. Newman, Localization of electrons by electric field in GaAs/AlAs Γ–X coupled structures 267 (1992) 474

Eaves, L., see Valadares 267 (1992) 409
Eaves, L., see Hayes 267 (1992) 493

Ehrenfreund, E., J. Oiknine-Schlesinger, D. Gershoni, D. Ritter, M.B. Panish and R.A. Hamm, Intersubband transitions in InGaAs/InP quantum wells studies by photomodulation spectroscopy 267 (1992) 461
Eisenstein, J.P., T.J. Gramila, L.N. Pfeiffer and K.W. West, Resonant tunneling in GaAs/AlGaAs double quantum wells 267 (1992) 377
Ekenberg, U., see Richards 267 (1992) 61
Emmerling, M., see Gréus 267 (1992) 263
Emura, S., see Asahi 267 (1992) 232
English, J.H., see Scriba 267 (1992) 483
English, J.H., see Wixforth 267 (1992) 523
Enichlmair, H., see Kriechbaum 267 (1992) 349
Ensslin, K., see Wixforth 267 (1992) 523
Ensslin, K., see Nguyen 267 (1992) 549
Ensslin, K., M. Sundaram, A. Wixforth and A.C. Gossard, Suppression of quantum Hall plateaus and nonlinear Landau level fan diagram in a parabolic quantum well 267 (1992) 553
Etemadi, G., see Palmier 267 (1992) 574
Etienne, B., see Roussignol 267 (1992) 360
Evans, J.H., see Ke 267 (1992) 65
Evans, J.H., see Harness 267 (1992) 401

Faini, G., see Laruelle 267 (1992) 396
Fang, F.F., see Ismail 267 (1992) 94
Fasol, G., see Richards 267 (1992) 61
Fasolino, A., G. Platero, M. Potemski, J.C. Maan, K. Ploog and G. Weimann, Interband magneto-optics in GaAs/AlGaAs quantum wells in a parallel field 267 (1992) 509
Ferrara, M., see Cingolani 267 (1992) 457
Ferreira, R., see Bastard 267 (1992) 335
Ferreira, R., see Roussignol 267 (1992) 360
Fiig, Th. and A.P. Jauho, Self-consistent modelling of resonant tunnelling structures 267 (1992) 392
Fischer, A., see Tapfer 267 (1992) 227
Fisher, T.A., P.E. Simmonds, M.S. Skolnick, D.M. Whittaker, R.S. Smith and N.A. McLean, Carrier density dependent effects on the Fermi energy edge singularity in quantum wells containing two occupied subbands 267 (1992) 528
Foad, M.A., A.P. Smart, M. Watt, C.M. Sotomayor Torres, W. Kuhn, H.P. Wagner, H. Leiderer, S. Bauer, C.D.W. Wilkinson, W. Gebhardt and M. Razeghi, Optical assessment of reactive ion etched ZnTe and ZnSe for nanostructures 267 (1992) 223
Forchel, A., see Gréus 267 (1992) 263
Foxon, C.T., see Bird 267 (1992) 277
Frank, N., see Kriechbaum 267 (1992) 349
Frost, J.E.F., see Thompson 267 (1992) 69
Frost, J.E.F., see Asahi 267 (1992) 388
Fujii, M., T. Yamamoto, M. Shigeta, T. Takebe, K. Kobayashi, S. Hiyamizu and I. Fujimoto, Lateral p–n junctions on GaAs(111)A substrates patterned with equilateral triangles 267 (1992) 26
Fujimoto, I., see Fujii 267 (1992) 26
Fujita, K., see Fukatsu 267 (1992) 79
Fujiwara, K., K. Kawashima, K. Kobayashi and N. Sano, Enhanced excitonic transitions in strained $In_xGa_xAs/Al_{0.15}Ga_{0.85}As$ quantum well heterostructures 267 (1992) 331

Fujiwara, K., see Schneider	267 (1992)	497
Fujiwara, K., see Nakayama	267 (1992)	537
Fujiwara, K., see Kawashima	267 (1992)	643
Fujiyasu, H., see Ishida	267 (1992)	149
Fukatsu, S., K. Fujita, H. Yaguchi, Y. Shiraki and R. Ito, Atomistic picture of interfacial mixing in the Si/Ge heterostructures	267 (1992)	79
Fukatsu, S., see Muraki	267 (1992)	107
Fukatsu, S., see Zhang	267 (1992)	110
Fukui, T., see Chang	267 (1992)	214
Fukui, T., S. Ando, T. Honda and T. Toriyama, GaAs tetrahedral quantum dot structures fabricated using selective area MOCVD	267 (1992)	236
Fukui, T., see Tsubaki	267 (1992)	270
Fukui, T., see Kasu	267 (1992)	300
Fukui, T., K. Tsubaki, H. Saito, M. Kasu and T. Honda, Fractional superlattices grown by MOCVD and their device applications	267 (1992)	588
Furdyna, J., see Ding	267 (1992)	616
Gaines, J.M., see Pashley	267 (1992)	153
Gammon, D., see Brozak	267 (1992)	120
Gamo, K., see Takaoka	267 (1992)	282
Gauneau, M., see Deveaud	267 (1992)	558
Gebhardt, W., see Foad	267 (1992)	223
Gershoni, D., see Ehrenfreund	267 (1992)	461
Göbel, E., see Shah	267 (1992)	304
Gonda, S., see Asahi	267 (1992)	232
Gonda, S., see Asami	267 (1992)	450
Goodwin, J.P., see Jackson	267 (1992)	145
Gornik, E., see Nithisoontorn	267 (1992)	505
Gossard, A.C., see Wixforth	267 (1992)	523
Gossard, A.C., see Ensslin	267 (1992)	553
Goto, S., see Morishita	267 (1992)	17
Grahn, H.T., W. Müller, K. von Klitzing and K. Ploog, Electric-field domains in superlattices: A comparison of transport and optical generation	267 (1992)	579
Grambow, P., see Tapfer	267 (1992)	227
Grambow, P., see Heitmann	267 (1992)	245
Gramila, T.J., see Eisenstein	267 (1992)	377
Grassie, A.D.C., see Bird	267 (1992)	277
Gregory, T.J., see Jackson	267 (1992)	145
Gréus, Ch., A. Forchel, G. Mauckner, M. Emmerling, J. Straka and K. Pieger, Optical spectroscopy on InGaAs/GaAs quantum wires defined by selective barrier removal	267 (1992)	263
Grimes, R.T., T.J.B.M. Janssen, M.B. Stanaway, C.J.G.M. Langerak, J. Singleton, D.E. Ashenford, B. Lunn, G. Hill and J.M. Chamberlain, The two-dimensional electron gas at the CdTe/InSb interface: Cyclotron resonance and Shubnikov–de Haas investigations	267 (1992)	133
Grundmann, M., A. Krost and D. Bimberg, Crystallographic and optical properties of InP/Si(001) grown by low temperature MOCVD process	267 (1992)	47
Grundmann, M., see Christen	267 (1992)	257
Gulden, K.H., P. Kiesel, P. Riel and G.H. Döhler, Giant ambipolar diffusion constant in n–i–p–i structures	267 (1992)	566
Gunshor, R.L., see Li	267 (1992)	181
Haberern, K.W., see Pashley	267 (1992)	153

Hadjazi, M., see Palmier	267 (1992)	574
Hagiwara, R., see Iwai	267 (1992)	434
Hagston, W.E., see Jackson	267 (1992)	145
Haisler, V.A., see Alperovich	267 (1992)	541
Hamaguchi, C., see Asahi	267 (1992)	232
Hamaguchi, C., see Matsuoka	267 (1992)	470
Hamilton, B., see Ke	267 (1992)	65
Hamilton, B., see Harness	267 (1992)	401
Hamm, R.A., see Ehrenfreund	267 (1992)	461
Hangyo, M., M. Mitsuhara, S. Nakashima and M. Nakayama, Raman spectra of GaAs/AlAs superlattices with fluctuation of period under off- and near-resonant conditions	267 (1992)	426
Harness, P.C., J.H. Evans, B. Khamsehpour, W.S. Truscott, K.E. Singer, M.-L. Ke, J.S. Rimmer and B. Hamilton, Optical and electrical measurements on AlGaAs/GaAs resonant tunneling structures incorporating superlattice energy filters	267 (1992)	401
Harris, J.J., see Bird	267 (1992)	277
Hasegawa, S., K. Kimura, M. Sato, K. Maehashi and H. Nakashima, Step structures during MBE growth of GaAs and AlGaAs films on vicinal GaAs(110) surfaces inclined toward (111)B	267 (1992)	5
Hashimoto, Y., see Hirakawa	267 (1992)	166
Hata, M., see Kajikawa	267 (1992)	501
Haverkort, J.E.M., see Weegels	267 (1992)	638
Hayakawa, T., M. Morishima, M. Nagai, H. Horie and K. Matsumoto, Limiting mechanism of molecular beam epitaxial growth of AlGaAs on (111) face	267 (1992)	8
Hayes, D.G., M.S. Skolnick, D.M. Whittaker, P.E. Simmonds, L.L. Taylor, S.J. Bass and L. Eaves, Magneto-optics of wide modulation doped quantum wells: Landau level pinning phenomena	267 (1992)	493
Hayes, W., see López	267 (1992)	176
Hayes, W., see Lawless	267 (1992)	354
Heberle, A., see Brandt	267 (1992)	319
Heitmann, D., see Tapfer	267 (1992)	227
Heitmann, D., K. Kern, T. Demel, P. Grambow, K. Ploog and Y.H. Zhang, Spectroscopy of quantum dots and antidots	267 (1992)	245
Henry, L., see Marzin	267 (1992)	253
Hill, G., see Grimes	267 (1992)	133
Hill, G., see Cury	267 (1992)	383
Hirakawa, K., Y. Hashimoto and T. Ikoma, Transient of microscopic valence-charge distribution and electrostatic potential at GaAs/AlAs heterointerfaces	267 (1992)	166
Hirayama, Y., see Asahi	267 (1992)	232
Hisada, M., see Yamakawa	267 (1992)	21
Hiyamizu, S., see Shimomura	267 (1992)	13
Hiyamizu, S., see Yamakawa	267 (1992)	21
Hiyamizu, S., see Fujii	267 (1992)	26
Hiyamizu, S., see Ishida	267 (1992)	54
Hohenstein, M., see Brandt	267 (1992)	204
Honda, T., see Fukui	267 (1992)	236
Honda, T., see Tsubaki	267 (1992)	270
Honda, T., see Fukui	267 (1992)	588
Honda, Y., Y. Lee, M. Yamanishi, N. Ochi, T. Shiotani and I. Suemune, Systematic alterations of excitonic spontaneous emission through continuous tuning of emission wavelength in AlGaAs quantum microcavities	267 (1992)	612

Hong, J.M., see Ohno 267 (1992) 161
Hong, X., see Ishihara 267 (1992) 323
Horie, H., see Hayakawa 267 (1992) 8
Horikoshi, Y., see Zhang 267 (1992) 124
Horikoshi, Y., see Sato 267 (1992) 195
Houlton, M., see Thompson 267 (1992) 69
Hsu, T.M., see Woo 267 (1992) 114
Hülsmann, A., see Wagner 267 (1992) 274
Hutchings, K.M., see Bird 267 (1992) 277
Hwang, D.M., see Christen 267 (1992) 257
Hwang, D.M., see Kapon 267 (1992) 593
Hybertsen, M.S., see Yin 267 (1992) 99

Ikarashi, N., see Tanaka 267 (1992) 38
Ikoma, T., see Saito 267 (1992) 57
Ikoma, T., see Hirakawa 267 (1992) 166
Inata, T., see Tackeuchi 267 (1992) 267
Inoshita, T., see Tsuchiya 267 (1992) 296
Inoue, M., see Iwai 267 (1992) 434
Inoue, N., H. Yokoyama, M. Shinohara and T. Murashita, GaAs/AlAs quantum structures grown by atomic layer epitaxy 267 (1992) 34
Ishida, A., K. Matsushita, T. Sugimoto, H. Akimoto, S. Mohammadnejad and H. Fujiyasu, Photoconductive properties of PbSrS/PbSnS superlattices 267 (1992) 149
Ishida, K., see Tanaka 267 (1992) 38
Ishida, M., S. Yuda, K. Kamigaki, H. Terauchi, S. Hiyamizu and N. Sano, Wire-like island growth of epitaxial NiAl on AlAs by molecular beam epitaxy 267 (1992) 54
Ishihara, T., X. Hong, J. Ding and A.V. Nurmikko, Dielectric confinement effect for exciton and biexciton states in PbI_4-based two-dimensional semiconductor structures 267 (1992) 323
Ishihara, T., see Ding 267 (1992) 616
Ismail, K., B.S. Meyerson, J. Nocera, F.F. Fang and P.J. Wang, Effect of strain in Si/SiGe modulation-doped quantum wells 267 (1992) 94
Isu, T., see Morishita 267 (1992) 17
Isu, T., see Kajikawa 267 (1992) 501
Ito, R., see Fukatsu 267 (1992) 79
Ito, R., see Muraki 267 (1992) 107
Ito, R., see Zhang 267 (1992) 110
Ito, T. and T. Ohno, Pseudopotential approach to band structure and stability for GaAs/Ge superlattices 267 (1992) 87
Iwai, Y., M. Yano, R. Hagiwara and M. Inoue, Raman scattering from InAs/AlSb ultrathin-layer superlattices grown by molecular beam epitaxy 267 (1992) 434
Izrael, A., see Marzin 267 (1992) 253

Jackson, S., J.P. Goodwin, T.J. Gregory, J.E. Nicholls, W.E. Hagston, B. Lunn and D.E. Ashenford, Vertical transport in magnetic II–VI superlattices by optical methods 267 (1992) 145
Janssen, T.J.B.M., see Grimes 267 (1992) 133
Jaroshevich, A.S., see Alperovich 267 (1992) 541
Jauho, A.P., see Fiig 267 (1992) 392
Jeon, H., see Ding 267 (1992) 616
Jones, G.A.C., see Thompson 267 (1992) 69
Jones, G.A.C., see Asahi 267 (1992) 388

Jusserand, B., F. Mollot, R. Planel, E. Molinari and S. Baroni, Atomic intermixing in short period GaAs/AlAs superlattices — 267 (1992) 171

Kajikawa, Y., M. Hata, T. Isu and Y. Katayama, Linear polarization effects in (110) quantum wells for light propagating perpendicular to the well planes — 267 (1992) 501
Kamigaki, K., see Ishida — 267 (1992) 54
Kano, H., see Nithisoontorn — 267 (1992) 505
Kapon, E., see Christen — 267 (1992) 257
Kapon, E., D.M. Hwang, M. Walther, R. Bhat and N.G. Stoffel, Two-dimensional quantum confinement in multiple quantum wire lasers grown by OMCVD on V-grooved substrates — 267 (1992) 593
Karunasiri, R.P.G., see Wang — 267 (1992) 74
Kash, J.A., see Zachau — 267 (1992) 327
Kasu, M., H. Ando, H. Saito and T. Fukui, Polarized photoluminescence of fractional layer superlattices — 267 (1992) 300
Kasu, M., see Fukui — 267 (1992) 588
Katayama, Y., see Morishita — 267 (1992) 17
Katayama, Y., see Kajikawa — 267 (1992) 501
Kato, H., see Matsuoka — 267 (1992) 470
Kato, T., see Tanaka — 267 (1992) 191
Katzer, D.S., see Deveaud — 267 (1992) 199
Kaufel, G., see Wagner — 267 (1992) 274
Kawamura, T., see Masumoto — 267 (1992) 315
Kawashima, K., see Fujiwara — 267 (1992) 331
Kawashima, K., see Schneider — 267 (1992) 497
Kawashima, K., see Nakayama — 267 (1992) 537
Kawashima, K., K. Fujiwara, T. Yamamoto, M. Sigeta and K. Kobayashi, Electro-optical bistability in GaAs/AlAs superlattices with different miniband widths — 267 (1992) 643
Ke, M.-L., J.S. Rimmer, B. Hamilton, M. Missous, B. Khamsehpour, J.H. Evans, K.E. Singer and P. Zalm, Optical properties of GaAs Si σ-doped superlattices — 267 (1992) 65
Ke, M.-L., see Harness — 267 (1992) 401
Kelly, M.J., see Asahi — 267 (1992) 388
Kern, K., see Heitmann — 267 (1992) 245
Khamsehpour, B., see Ke — 267 (1992) 65
Khamsehpour, B., see Harness — 267 (1992) 401
Kiesel, P., see Gulden — 267 (1992) 566
Kiledjian, M.S., J.N. Schulman, K.L. Wang and K.V. Rousseau, Hole and interband resonant tunneling in GaAs/GaAlAs and InAs/GaSb/AlSb tunnel structures — 267 (1992) 405
Kiledjian, M.S., J.N. Schulman and K.L. Wang, Intersubband quantum well absorption with resonant barriers — 267 (1992) 454
Kim, D.W., see Woo — 267 (1992) 114
Kim, S.G., see Asahi — 267 (1992) 232
Kimura, K., see Hasegawa — 267 (1992) 5
Kitada, H., see Tackeuchi — 267 (1992) 267
Kitatani, T., J.P. Bird and Y. Ochiai, The low-temperature magnetoresistance of Si/Nb superlattices — 267 (1992) 583
Kobayashi, K., see Shimomura — 267 (1992) 13
Kobayashi, K., see Yamakawa — 267 (1992) 21
Kobayashi, K., see Fujii — 267 (1992) 26
Kobayashi, K., see Fujiwara — 267 (1992) 331
Kobayashi, K., see Kawashima — 267 (1992) 643

Kobayashi, M., see Li 267 (1992) 181
Kobayashi, N., see Zhang 267 (1992) 124
Koguchi, N., see Chikyow 267 (1992) 241
Koh, S., see Nakayama 267 (1992) 537
Köhler, K., see Wagner 267 (1992) 274
Köhler, K., see Shah 267 (1992) 304
Koma, A., New epitaxial growth method for modulated structures using Van der Waals interactions 267 (1992) 29
Koma, A., see Ueno 267 (1992) 43
Kondo, J., see Okuno 267 (1992) 570
Koteles, E.S., see Viña 267 (1992) 533
Kotthaus, J.P., see Scriba 267 (1992) 483
Krenn, H., see Kriechbaum 267 (1992) 349
Kriechbaum, M., H. Krenn, H. Enichlmair, N. Frank and G. Bauer, Observation of miniband formation in light induced magnetization in diluted magnetic $Pb_xMn_xTe/PbTe$ quantum wells 267 (1992) 349
Kroemer, H., see Scriba 267 (1992) 483
Kroemer, H., see Nguyen 267 (1992) 549
Krost, A., see Grundmann 267 (1992) 47
Kubo, H., see Asahi 267 (1992) 232
Kuhn, W., see Foad 267 (1992) 223
Kurobe, A., see Tezuka 267 (1992) 518

La Rocca, G.C., see Tapfer 267 (1992) 227
La Rocca, G.C., see Brandt 267 (1992) 319
Ladan, F.R., see Marzin 267 (1992) 253
Lage, H., see Tapfer 267 (1992) 227
Lage, H., see Brandt 267 (1992) 319
Lai, Z.-W., see Tamborenea 267 (1992) 1
Lakrimi, M., see Bird 267 (1992) 277
Lambert, B., see Deveaud 267 (1992) 558
Langerak, C.J.G.M., see Grimes 267 (1992) 133
Laruelle, F., A. Ramdane and G. Faini, Experimental investigation of ionized impurity scattering in double barrier resonant tunneling diodes 267 (1992) 396
Lau, K.M., see Viña 267 (1992) 533
Law, V.J., see Asahi 267 (1992) 388
Lawless, M.J., R.J. Nicholas, M.J. McNamee, W. Hayes, D.E. Ashenford and B. Lunn, Magneto-optical studies of $CdTe:Cd_xMn_xTe$ superlattices 267 (1992) 354
Lawless, M.J., see Warburton 267 (1992) 365
Ledentsov, N.N., see Nötzel 267 (1992) 209
Lee, D., see Thompson 267 (1992) 69
Lee, Y., see Honda 267 (1992) 612
Leem, Y.A., see Woo 267 (1992) 114
Leiderer, H., see Foad 267 (1992) 223
Leo, K., see Shah 267 (1992) 304
Leys, M.R., see Weegels 267 (1992) 638
Li, D., Y. Nakamura, N. Otsuka, J. Qiu, M. Kobayashi and R.L. Gunshor, Vacancy ordering at heterovalent interfaces 267 (1992) 181
Linfield, E.H., see Thompson 267 (1992) 69
Liu, H.C., A.G. Steele, M. Buchanan and Z.R. Wasilewski, Infrared transmission and photocurrent spectroscopic study of a coupled asymmetrical quantum well structure 267 (1992) 514

Lockwood, D.J., Application of high-resolution Raman spectroscopy to the study of superlattice acoustic phonons 267 (1992) 438
López, C., R.J. Springett, R.J. Nicholas, P.J. Walker, N.J. Mason and W. Hayes, Interface studies of InAs/GaSb superlattices by Raman scattering 267 (1992) 176
Lugagne-Delpon, E., P. Voisin, J.P. André, J.N. Patillon and M. Voos, Optical properties of MOCVD-grown AlInAs/InP type-II superlattices 267 (1992) 479
Lugarà, M., see Scamarcio 267 (1992) 430
Lunn, B., see Grimes 267 (1992) 133
Lunn, B., see Jackson 267 (1992) 145
Lunn, B., see Lawless 267 (1992) 354
Luo, H., see Ding 267 (1992) 616

Maan, J.C., see Fasolino 267 (1992) 509
Machida, S., see Yamamoto 267 (1992) 605
Maehashi, K., see Hasegawa 267 (1992) 5
Mailhiot, C., see Qiang 267 (1992) 103
Marques, G.E., see Cohen 267 (1992) 464
Marzin, J.Y., A. Izrael, L. Birotheau, N. Roy, R. Azoulay, D. Robein, J.-L. Benchimol, L. Henry, V. Thierry-Mieg, F.R. Ladan and L. Taylor, Luminescence of narrow RIE etched In_xGa_xAs/InP and $GaAs/Ga_xAl_xAs$ quantum wires 267 (1992) 253
Mason, N.J., see López 267 (1992) 176
Masselink, W.T., see Zachau 267 (1992) 327
Masumoto, Y., see Yamada 267 (1992) 129
Masumoto, Y., T. Wamura and T. Kawamura, Size selective nonlinear optical spectroscopy of excitons in CuCl quantum dots 267 (1992) 315
Masumoto, Y., see Mishina 267 (1992) 634
Matsumoto, K., see Hayakawa 267 (1992) 8
Matsuoka, T., T. Nakazawa, T. Ohya, T. Miyatake, M. Yamaguchi, K. Taniguchi, C. Hamaguchi, H. Kato and Y. Watanabe, Weakly allowed optical transition due to the zone-folding effect in $(GaAs)_n/(AlAs)_n$ superlattices 267 (1992) 470
Matsushita, K., see Ishida 267 (1992) 149
Mauckner, G., see Gréus 267 (1992) 263
Maude, D.K., see Cury 267 (1992) 383
McCombe, B.D., see Cheng 267 (1992) 488
McLean, N.A., see Fisher 267 (1992) 528
McNamee, M.J., see Lawless 267 (1992) 354
Meeson, P., see Bird 267 (1992) 277
Meléndez, J., see Castrillo 267 (1992) 413
Mendez, E.E., see Ohno 267 (1992) 161
Mendez, E.E., Interband magneto-tunneling in polytype type II heterostructures 267 (1992) 370
Mestres, N., see Viña 267 (1992) 533
Meyerson, B.S., see Ismail 267 (1992) 94
Michaelis, J.S., see Nithisoontorn 267 (1992) 505
Misawa, S., see Yoshida 267 (1992) 50
Mishina, T., F. Sasaki and Y. Masumoto, Ultrafast optical nonlinearities in type-II AlGaAs/AlAs multiple-quantum-well structures and their device applicability 267 (1992) 634
Missous, M., see Ke 267 (1992) 65
Mitsuhara, M., see Hangyo 267 (1992) 426
Miura, N., see Noguchi 267 (1992) 562
Miyatake, T., see Matsuoka 267 (1992) 470
Mohammadnejad, S., see Ishida 267 (1992) 149

Molinari, E., see Jusserand 267 (1992) 171
Molinari, E., see Scamarcio 267 (1992) 430
Mollot, F., see Jusserand 267 (1992) 171
Mollot, F., see Palmier 267 (1992) 574
Morishima, M., see Hayakawa 267 (1992) 8
Morishita, Y., Y. Nomura, S. Goto, Y. Katayama and T. Isu, Observations of facet formation during MOMBE of GaAs on a patterned substrate 267 (1992) 17
Moshegov, N.T., see Alperovich 267 (1992) 541
Motohisa, J., see Noda 267 (1992) 187
Müller, W., see Grahn 267 (1992) 579
Munekata, H., T. Penney and L.L. Chang, Diluted magnetic III-V semiconductor structures 267 (1992) 342
Muñoz, L., see Viña 267 (1992) 533
Muraki, K., S. Fukatsu, Y. Shiraki and R. Ito, Anomalies in photoluminescence linewidth of InGaAs/GaAs strained-layer quantum wells 267 (1992) 107
Murase, K., see Takaoka 267 (1992) 282
Murashita, T., see Inoue 267 (1992) 34
Muto, S., see Tackeuchi 267 (1992) 267

Nagai, M., see Hayakawa 267 (1992) 8
Nakamura, M., see Tezuka 267 (1992) 518
Nakamura, S., see Tackeuchi 267 (1992) 267
Nakamura, Y., see Li 267 (1992) 181
Nakashima, H., see Hasegawa 267 (1992) 5
Nakashima, S., see Hangyo 267 (1992) 426
Nakata, Y., see Tackeuchi 267 (1992) 267
Nakayama, M., see Hangyo 267 (1992) 426
Nakayama, M., I. Tanaka, T. Doguchi, S. Koh, H. Nishimura, K. Kawashima and K. Fujiwara, Electroreflectance and transfer-matrix analysis of Stark-ladder transitions in a GaAs/AlAs superlattice 267 (1992) 537
Nakazawa, T., see Matsuoka 267 (1992) 470
Namba, S., see Shimomura 267 (1992) 13
Namba, S., see Yamakawa 267 (1992) 21
Namba, S., see Takaoka 267 (1992) 282
Nannichi, Y., see Ueno 267 (1992) 43
Newman, P.G., see Dutta 267 (1992) 474
Nguyen, C., K. Ensslin and H. Kroemer, Magneto-transport in InAs/AlSb quantum wells with large electron concentration modulation 267 (1992) 549
Nicholas, R.J., see López 267 (1992) 176
Nicholas, R.J., see Lawless 267 (1992) 354
Nicholas, R.J., see Warburton 267 (1992) 365
Nicholls, J.E., see Jackson 267 (1992) 145
Nishimura, H., see Nakayama 267 (1992) 537
Nishinaga, T., see Tanaka 267 (1992) 38
Nithisoontorn, M., R. Dum, K. Unterrainer, J.S. Michaelis, E. Gornik, N. Sawaki and H. Kano, Two-photon magnetoabsorption in GaAs/AlGaAs multiple quantum wells 267 (1992) 505
Nitta, Y., see Zhang 267 (1992) 110
Nocera, J., see Ismail 267 (1992) 94
Noda, T., J. Motohisa and H. Sakaki, Atomic structure of monolayer AlAs islands on GaAs and its anisotropy revealed by mobility study in island-inserted quantum wells 267 (1992) 187

Noguchi, H., T. Takamasu, N. Miura and H. Sakaki, Observation of optical-phonon-scattering inhibited region in longitudinal magnetoresistance in superlattices 267 (1992) 562
Nomura, Y., see Morishita 267 (1992) 17
Nötzel, R., L. Däweritz, N.N. Ledentsov and K. Ploog, Electronic properties of semiconductor quantum-wire structures directly grown on (311) surfaces 267 (1992) 209
Nozue, Y., see Taguchi 267 (1992) 141
Nurmikko, A.V., see Ishihara 267 (1992) 323
Nurmikko, A.V., see Ding 267 (1992) 616

Ochi, N., see Honda 267 (1992) 612
Ochiai, Y., see Kitatani 267 (1992) 583
Oh, J.E., see Woo 267 (1992) 114
Ohkouchi, S., see Tanaka 267 (1992) 191
Ohkubo, S., see Shimomura 267 (1992) 13
Ohno, H., E.E. Mendez, A. Alexandrou and J.M. Hong, Tamm states in superlattices 267 (1992) 161
Ohno, T., see Ito 267 (1992) 87
Ohno, T., see Taguchi 267 (1992) 141
Ohya, T., see Matsuoka 267 (1992) 470
Oigawa, H., see Ueno 267 (1992) 43
Oiknine-Schlesinger, J., see Ehrenfreund 267 (1992) 461
Okamoto, Y., see Yamakawa 267 (1992) 21
Okumura, H., see Yoshida 267 (1992) 50
Okumura, H., see Asami 267 (1992) 450
Okuno, E., J. Kondo, N. Sawaki and I. Akasaki, Real space transfer and modulation of electron mobility in GaAs/AlGaAs double quantum well structures 267 (1992) 570
Okuno, Y., see Asahi 267 (1992) 232
Olajos, J., see Vogl 267 (1992) 83
Onabe, K., see Zhang 267 (1992) 110
Osaka, F., see Tanaka 267 (1992) 191
Oto, K., see Takaoka 267 (1992) 282
Otsuka, N., see Li 267 (1992) 181

Pacheco, M., see Barticevic 267 (1992) 545
Palmier, J.F., G. Etemadi, A. Sibille, M. Hadjazi, F. Mollot and R. Planel, High field miniband conduction in GaAs/AlAs superlattices 267 (1992) 574
Panish, M.B., see Ehrenfreund 267 (1992) 461
Park, J.S., see Wang 267 (1992) 74
Pashley, M.D., K.W. Haberern and J.M. Gaines, MBE growth on vicinal GaAs(001) surfaces studied by scanning tunneling microscopy 267 (1992) 153
Patillon, J.N., see Lugagne-Delpon 267 (1992) 479
Penney, T., see Munekata 267 (1992) 342
Pepper, M., see Asahi 267 (1992) 388
Peter, G., see Deleporte 267 (1992) 137
Pettit, G.D., see Qiang 267 (1992) 103
Pfeiffer, L.N., see Eisenstein 267 (1992) 377
Phillipp, F., see Brandt 267 (1992) 204
Pieger, K., see Gréus 267 (1992) 263
Planel, R., see Jusserand 267 (1992) 171
Planel, R., see Palmier 267 (1992) 574
Platero, G., see Fasolino 267 (1992) 509

Ploog, K., see Richards 267 (1992) 61
Ploog, K., see Brandt 267 (1992) 204
Ploog, K., see Nötzel 267 (1992) 209
Ploog, K., see Tapfer 267 (1992) 227
Ploog, K., see Heitmann 267 (1992) 245
Ploog, K., see Brandt 267 (1992) 319
Ploog, K., see Castrillo 267 (1992) 413
Ploog, K., see Scamarcio 267 (1992) 430
Ploog, K., see Pulsford 267 (1992) 445
Ploog, K., see Cingolani 267 (1992) 457
Ploog, K., see Schneider 267 (1992) 497
Ploog, K., see Fasolino 267 (1992) 509
Ploog, K., see Grahn 267 (1992) 579
Pollak, F.H., see Yin 267 (1992) 99
Pollak, F.H., see Qiang 267 (1992) 103
Portal, J.C., see Cury 267 (1992) 383
Potemski, M., see Fasolino 267 (1992) 509
Pulsford, N.J. and K. Ploog, Zone-folded minibands in a GaAs/AlGaAs superlattice 267 (1992) 445

Qiang, H., F.H. Pollak, C. Mailhiot, G.D. Pettit and J.M. Woodall, Uniaxial stress study of the quantum transitions in a strained layer (001) $In_{0.21}Ga_{0.79}As/GaAs$ single quantum well 267 (1992) 103
Qiu, J., see Li 267 (1992) 181

Ramdane, A., see Laruelle 267 (1992) 396
Ramsteiner, M., see Richards 267 (1992) 61
Razeghi, M., see Foad 267 (1992) 223
Regreny, A., see Deveaud 267 (1992) 558
Richards, D., J. Wagner, M. Ramsteiner, U. Ekenberg, G. Fasol and K. Ploog, Effect of spatial localisation of dopant atoms on the confining potential and electron subband structure in δ-doped GaAs:Si 267 (1992) 61
Riel, P., see Gulden 267 (1992) 566
Rimmer, J.S., see Ke 267 (1992) 65
Rimmer, J.S., see Harness 267 (1992) 401
Rinaldi, R., see Cingolani 267 (1992) 457
Ritchie, D.A., see Thompson 267 (1992) 69
Ritchie, D.A., see Asahi 267 (1992) 388
Ritter, D., see Ehrenfreund 267 (1992) 461
Robein, D., see Marzin 267 (1992) 253
Rolland, P., see Roussignol 267 (1992) 360
Rousseau, K.V., see Kiledjian 267 (1992) 405
Roussignol, Ph., P. Rolland, R. Ferreira, C. Delalande, G. Bastard, A. Vinattieri, L. Carraresi, M. Colocci and B. Etienne, Time-resolved spin-polarization spectroscopy in GaAs/AlGaAs quantum wells 267 (1992) 360
Roy, N., see Deveaud 267 (1992) 199
Roy, N., see Marzin 267 (1992) 253

Saiki, K., see Ueno 267 (1992) 43
Saito, H., see Tsubaki 267 (1992) 270
Saito, H., see Kasu 267 (1992) 300
Saito, H., see Fukui 267 (1992) 588

Saito, T. and T. Ikoma, Impurity-related bands in GaAs doped with Ge,Zn and Se monolayers 267 (1992) 57
Sakaki, H., see Noda 267 (1992) 187
Sakaki, H., see Tsuchiya 267 (1992) 296
Sakaki, H., see Bauer 267 (1992) 442
Sakaki, H., see Noguchi 267 (1992) 562
Sakaki, H., Quantum wires, quantum boxes and related structures: Physics, device potentials and structural requirements 267 (1992) 623
Sakakibara, H., see Tanaka 267 (1992) 38
Sakuma, E., see Yoshida 267 (1992) 50
Samarth, N., see Ding 267 (1992) 616
Sano, N., see Yamakawa 267 (1992) 21
Sano, N., see Ishida 267 (1992) 54
Sano, N., see Fujiwara 267 (1992) 331
Sasaki, F., see Mishina 267 (1992) 634
Sato, M., see Hasegawa 267 (1992) 5
Sato, M. and Y. Horikoshi, Effect of indium replacement by gallium on ZnAs/GaAs quantized levels 267 (1992) 195
Sawaki, N., see Nithisoontorn 267 (1992) 505
Sawaki, N., see Okuno 267 (1992) 570
Sawasaki, T., see Takaoka 267 (1992) 282
Scamarcio, G., E. Molinari, L. Tapfer, M. Lugarà and K. Ploog, Infrared reflectivity and Raman spectra of $(GaAs)_n$ ultrathin layer superlattices 267 (1992) 430
Schäfer, W., see Shah 267 (1992) 304
Schiavone, L.M., see Christen 267 (1992) 257
Schmitt-Rink, S., see Shah 267 (1992) 304
Schneider, H., K. Kawashima, K. Fujiwara and K. Ploog, Electric field-induced delocalization effects in GaAs/AlAs single- and double-period superlattices 267 (1992) 497
Schulman, J.N., see Yamauchi 267 (1992) 291
Schulman, J.N., see Kiledjian 267 (1992) 405
Schulman, J.N., see Kiledjian 267 (1992) 454
Scriba, J., S. Seitz, A. Wixforth, J.P. Kotthaus, G. Tuttle, J.H. English and H. Kroemer, Electronic properties and far infrared spectroscopy of InAs/AlSb quantum wells 267 (1992) 483
Seitz, S., see Scriba 267 (1992) 483
Sermage, B., see Deveaud 267 (1992) 199
Shah, J., K. Leo, E. Göbel, S. Schmitt-Rink, T. Damen, W. Schäfer and K. Köhler, Quantum beats of excitons in quantum wells 267 (1992) 304
Shanabrook, B.V., see Brozak 267 (1992) 120
Sheard, F.W., see Valadares 267 (1992) 409
Shen, H., see Dutta 267 (1992) 474
Shigeta, M., see Shimomura 267 (1992) 13
Shigeta, M., see Yamakawa 267 (1992) 21
Shigeta, M., see Fujii 267 (1992) 26
Shimizu, A., see Tsuchiya 267 (1992) 296
Shimomura, S., S. Ohkubo, Y. Yuba, S. Namba, S. Hiyamizu, M. Shigeta, T. Yamamoto and K. Kobayashi, MBE growth of GaAs/AlAs QW structures on GaAs channeled stubstrates with submicron facets 267 (1992) 13
Shimomura, S., see Yamakawa 267 (1992) 21
Shinohara, M., see Inoue 267 (1992) 34
Shiotani, T., see Honda 267 (1992) 612
Shiraki, Y., see Fukatsu 267 (1992) 79

Shiraki, Y., see Muraki 267 (1992) 107
Shiraki, Y., see Zhang 267 (1992) 110
Sibille, A., see Palmier 267 (1992) 574
Sigeta, M., see Kawashima 267 (1992) 643
Simmonds, P.E., see Hayes 267 (1992) 493
Simmonds, P.E., see Fisher 267 (1992) 528
Singer, K.E., see Ke 267 (1992) 65
Singer, K.E., see Harness 267 (1992) 401
Singleton, J., see Grimes 267 (1992) 133
Sivco, D.L., see Cury 267 (1992) 383
Skolnick, M.S., see Hayes 267 (1992) 493
Skolnick, M.S., see Fisher 267 (1992) 528
Smart, A.P., see Foad 267 (1992) 223
Smith, D.D., see Dutta 267 (1992) 474
Smith, G.W., see Thompson 267 (1992) 69
Smith, R.S., see Fisher 267 (1992) 528
Sotomayor Torres, C.M., see Foad 267 (1992) 223
Springett, R.J., see López 267 (1992) 176
Stanaway, M.B., see Grimes 267 (1992) 133
Steele, A.G., see Liu 267 (1992) 514
Stoffel, N.G., see Kapon 267 (1992) 593
Stopa, M.P., Self-consistent electronic structure and optical selection rules for tetrahedral quantum dots 267 (1992) 286
Straka, J., see Gréus 267 (1992) 263
Suemune, I., see Honda 267 (1992) 612
Sugawara, H., see Tsuchiya 267 (1992) 296
Sugimoto, T., see Ishida 267 (1992) 149
Sugiyama, Y., see Tackeuchi 267 (1992) 267
Sundaram, M., see Wixforth 267 (1992) 523
Sundaram, M., see Ensslin 267 (1992) 553
Syme, R.T., see Asahi 267 (1992) 388

Tackeuchi, A., H. Kitada, H. Arimoto, Y. Sugiyama, T. Inata, Y. Yamaguchi, Y. Nakata, S. Nakamura and S. Muto, Picosecond absorption recovery of 100 nm GaAs/AlGaAs MQW wires 267 (1992) 267
Taguchi, T., see Yamada 267 (1992) 129
Taguchi, T., T. Ohno and Y. Nozue, Localization and relaxation of excitons in CdZnS/ZnS strained-layer superlattices studied by photoluminescence excitation and photocurrent spectroscopies 267 (1992) 141
Takagahara, T., Quantum dot lattice and enhanced excitonic optical nonlinearity 267 (1992) 310
Takagaki, Y., see Takaoka 267 (1992) 282
Takahashi, S., see Chikyow 267 (1992) 241
Takamasu, T., see Noguchi 267 (1992) 562
Takaoka, S., K. Tsukagoshi, K. Oto, T. Sawasaki, K. Murase, Y. Takagaki, K. Gamo and S. Namba, Nonlocal quantum conduction and the influence of contact resistance in GaAs/AlGaAs wires 267 (1992) 282
Takebe, T., see Fujii 267 (1992) 26
Takizawa, J., see Asahi 267 (1992) 232
Tamborenea, P.I., Z.-W. Lai and S. Das Sarma, Molecular beam epitaxial growth: simulation and continuum theory 267 (1992) 1
Tanaka, I., S. Ohkouchi, F. Osaka and T. Kato, Scanning tunneling microscopy of thermally cleaned InP surfaces in an arsenic flux 267 (1992) 191

Tanaka, I., see Nakayama 267 (1992) 537
Tanaka, M., H. Sakakibara, T. Nishinaga, N. Ikarashi and K. Ishida, Growth of CoAl/AlAs/GaAs metal/semiconductor heterostructures by molecular beam epitaxy 267 (1992) 38
Taneko, T., see Asahi 267 (1992) 232
Taniguchi, K., see Matsuoka 267 (1992) 470
Tanino, H. and A. Amano, Raman scattering study of ultra-thin layers of AlAs buried in GaAs 267 (1992) 422
Tapfer, L., see Brandt 267 (1992) 204
Tapfer, L., G.C. La Rocca, H. Lage, R. Cingolani, P. Grambow, A. Fischer, D. Heitmann and K. Ploog, Observation and analysis of quantum wire structures by high-resolution X-ray diffraction 267 (1992) 227
Tapfer, L., see Scamarcio 267 (1992) 430
Taylor, L., see Marzin 267 (1992) 253
Taylor, L.L., see Hayes 267 (1992) 493
Tejedor, C., see Calle 267 (1992) 418
Terauchi, H., see Ishida 267 (1992) 54
Terekhov, A.S., see Alperovich 267 (1992) 541
Tewordt, M., see Asahi 267 (1992) 388
Tezuka, T., A. Kurobe, Y. Ashizawa, H. Yoshida and M. Nakamura, Effects of residual doping on the quantum confined Stark effect in p–i–n multiple quantum well structures 267 (1992) 518
Thierry-Mieg, V., see Marzin 267 (1992) 253
Thompson, J.H., D.A. Ritchie, G.A.C. Jones, E.H. Linfield, J.E.F. Frost, A.C. Churchill, G.W. Smith, D. Lee, M. Houlton and C.R. Whitehouse, Dopant patterning of MBE GaAs during growth by very low energy focussed tin ion beam deposition 267 (1992) 69
Tkachenko, V.A., see Alperovich 267 (1992) 541
Toriyama, T., see Fukui 267 (1992) 236
Toropov, A.I., see Alperovich 267 (1992) 541
Tränkle, G., see Brunner 267 (1992) 218
Truscott, W.S., see Harness 267 (1992) 401
Tsubaki, K., T. Honda, H. Saito and T. Fukui, Density of states of AlAs/GaAs fractional layer superlattice quantum wires in a modulation doped structure 267 (1992) 270
Tsubaki, K., see Fukui 267 (1992) 588
Tsuchiya, M., H. Sugawara, T. Inoshita, A. Shimizu and H. Sakaki, Electron concentration and mobility in selectively doped edge quantum wires 267 (1992) 296
Tsukagoshi, K., see Takaoka 267 (1992) 282
Tuttle, G., see Scriba 267 (1992) 483

Ueno, K., H. Abe, K. Saiki, A. Koma, H. Oigawa and Y. Nannichi, Hetero-epitaxy of layered compound semiconductor GaSe onto GaAs surfaces for very effective passivation of nanometer structures 267 (1992) 43
Unterrainer, K., see Nithisoontorn 267 (1992) 505

Valadares, E.C., F.W. Sheard and L. Eaves, Sequential tunneling of holes in p-type semiconductor double-barrier heterostructures 267 (1992) 409
Vandenberg, J.M., see Yin 267 (1992) 99
Viña, L., see Calle 267 (1992) 418
Viña, L., L. Muñoz, N. Mestres, E.S. Koteles, D.C. Bertolet and K.M. Lau, Magneto-optical properties of quantum wells under biaxial tensile strain 267 (1992) 533
Vinattieri, A., see Roussignol 267 (1992) 360

Vinter, B., N. Vodjdani, V. Berger, E. Böckenhoff and E. Costard, Switching between two mid-infrared intersubband absorption energies in double quantum wells 267 (1992) 601
Vodjdani, N., see Vinter 267 (1992) 601
Vogl, P., J. Olajos, W. Wegscheider and G. Abstreiter, Electronic structure and optical properties of short-period α-Sn_nGe_m superlattices 267 (1992) 83
Voisin, P., see Lugagne-Delpon 267 (1992) 479
Von Klitzing, K., see Grahn 267 (1992) 579
Vonken, E.-J., see Weegels 267 (1992) 638
Voos, M., see Lugagne-Delpon 267 (1992) 479

Wagner, H.P., see Foad 267 (1992) 223
Wagner, J., see Richards 267 (1992) 61
Wagner, J., A. Hülsmann, G. Kaufel and K. Köhler, Raman spectroscopic assessment of laterally structured δ-doped GaAs:Si 267 (1992) 274
Walker, P.J., see López 267 (1992) 176
Walther, M., see Brunner 267 (1992) 218
Walther, M., see Kapon 267 (1992) 593
Wamura, T., see Masumoto 267 (1992) 315
Wang, K.L., R.P.G. Karunasiri and J.S. Park, Intersubband absorption in Si_xGe_x/Si and δ-doped Si multiple quantum wells 267 (1992) 74
Wang, K.L., see Kiledjian 267 (1992) 405
Wang, K.L., see Kiledjian 267 (1992) 454
Wang, P.J., see Ismail 267 (1992) 94
Wang, W.I., see Brozak 267 (1992) 120
Warburton, R.J., M.J. Lawless and R.J. Nicholas, Valence band spin of semiconductor superlattices 267 (1992) 365
Wasilewski, Z.R., see Liu 267 (1992) 514
Watanabe, T., see Asami 267 (1992) 450
Watanabe, Y., see Matsuoka 267 (1992) 470
Watt, M., see Foad 267 (1992) 223
Weegels, L.M., E.-J. Vonken, J.E.M. Haverkort, M.R. Leys and J.H. Wolter, A novel mechanism for light-activated switching in pseudomorphic heterostructures 267 (1992) 638
Wegscheider, W., see Vogl 267 (1992) 83
Wegscheider, W., see Wilhelm 267 (1992) 90
Weimann, G., see Fasolino 267 (1992) 509
West, K.W., see Eisenstein 267 (1992) 377
Whitehouse, C.R., see Thompson 267 (1992) 69
Whittaker, D.M., see Hayes 267 (1992) 493
Whittaker, D.M., see Fisher 267 (1992) 528
Wilhelm, J., W. Wegscheider and G. Abstreiter, Sharp doping profiles and two-dimensional electron systems in Ge based heterostructures 267 (1992) 90
Wilkinson, C.D.W., see Foad 267 (1992) 223
Wixforth, A., see Scriba 267 (1992) 483
Wixforth, A., M. Sundaram, K. Ensslin, J.H. English and A.C. Gossard, Electron plasma resonances in wide parabolic quantum wells 267 (1992) 523
Wixforth, A., see Ensslin 267 (1992) 553
Wolter, J.H., see Weegels 267 (1992) 638
Woo, D.H., D.W. Kim, Y.A. Leem, J.C. Woo, J.E. Oh and T.M. Hsu, Optical characterization of coherently strained short-period superlattice $(InAs)_n(AlAs)_n$ grown by molecular beam epitaxy 267 (1992) 114

Woo, J.C., see Woo — 267 (1992) 114
Woodall, J.M., see Qiang — 267 (1992) 103

Yaguchi, H., see Fukatsu — 267 (1992) 79
Yamada, Y., Y. Masumoto and T. Taguchi, Hydrostatic pressure dependence of two-dimensional exciton luminescence in ZnSe/ZnS strained-layer superlattices — 267 (1992) 129
Yamaguchi, M., see Matsuoka — 267 (1992) 470
Yamaguchi, Y., see Tackeuchi — 267 (1992) 267
Yamakawa, S., M. Hisada, S. Shimomura, Y. Yuba, S. Namba, Y. Okamoto, M. Shigeta, T. Yamamoto, K. Kobayashi, N. Sano and S. Hiyamizu, Pseudomorphic InGaAs/AlAs quantum wells grown on GaAs channeled substrates by MBE — 267 (1992) 21
Yamamoto, T., see Shimomura — 267 (1992) 13
Yamamoto, T., see Yamakawa — 267 (1992) 21
Yamamoto, T., see Fujii — 267 (1992) 26
Yamamoto, T., see Kawashima — 267 (1992) 643
Yamamoto, Y., S. Machida and G. Björk, Cavity quantum electrodynamics in quantum well lasers — 267 (1992) 605
Yamanishi, M., see Honda — 267 (1992) 612
Yamauchi, T., Y. Arakawa and J.N. Schulman, Quantum wires with strain effect: Tight-binding analysis — 267 (1992) 291
Yan, D., see Yin — 267 (1992) 99
Yang, C.H., A field-effect quantum tunneling transistor: Observation of negative transconductance and analysis — 267 (1992) 630
Yano, M., see Iwai — 267 (1992) 434
Yin, Y., D. Yan, F.H. Pollak, M.S. Hybertsen, J.M. Vandenberg and J.C. Bean, Piezoreflectance of strained Si/Ge superlattices grown on Ge(001) — 267 (1992) 99
Yokoyama, H., see Inoue — 267 (1992) 34
Yoshida, H., see Tezuka — 267 (1992) 518
Yoshida, S., H. Okumura, S. Misawa and E. Sakuma, Hetero-epitaxial growth of cubic GaN on GaAs by gas-source molecular beam epitaxy — 267 (1992) 50
Yoshida, S., see Asami — 267 (1992) 450
Yu, S.J., see Asahi — 267 (1992) 232
Yuba, Y., see Shimomura — 267 (1992) 13
Yuba, Y., see Yamakawa — 267 (1992) 21
Yuda, S., see Ishida — 267 (1992) 54

Zachau, M., J.A. Kash and W.T. Masselink, The role of coherence length of excitons in thin quantum wells — 267 (1992) 327
Zalm, P., see Ke — 267 (1992) 65
Zhang, B., see Zhang — 267 (1992) 110
Zhang, S., N. Kobayashi and Y. Horikoshi, Growth and characterization of thin ZnSe/GaAs/ZnSe quantum wells — 267 (1992) 124
Zhang, X., K. Onabe, Y. Nitta, B. Zhang, S. Fukatsu, Y. Shiraki and R. Ito, Optical characterization of band-edge lineups in $GaAs/GaAs_xP_x$ strained-layer quantum wells — 267 (1992) 110
Zhang, Y.H., see Heitmann — 267 (1992) 245
Zhang, Y.H., see Cingolani — 267 (1992) 457

Surface Science 267 (1992) 665–689
North-Holland



Subject index

Alloys
M. Ishida, S. Yuda, K. Kamigaki, H. Terauchi, S. Hiyamizu and N. Sano, Wire-like island growth of epitaxial NiAl on AlAs by molecular beam epitaxy 267 (1992) 54

Antimony
J. Wilhelm, W. Wegscheider and G. Abstreiter, Sharp doping profiles and two-dimensional electron systems in Ge based heterostructures 267 (1992) 90

Auger electron spectroscopy
J. Wilhelm, W. Wegscheider and G. Abstreiter, Sharp doping profiles and two-dimensional electron systems in Ge based heterostructures 267 (1992) 90

Band structure
T. Saito and T. Ikoma, Impurity-related bands in GaAs doped with Ge,Zn and Se monolayers 267 (1992) 57
P. Vogl, J. Olajos, W. Wegscheider and G. Abstreiter, Electronic structure and optical properties of short-period α-Sn_nGe_m superlattices 267 (1992) 83
T. Ito and T. Ohno, Pseudopotential approach to band structure and stability for GaAs/Ge superlattices 267 (1992) 87
M.P. Stopa, Self-consistent electronic structure and optical selection rules for tetrahedral quantum dots 267 (1992) 286
T. Yamauchi, Y. Arakawa and J.N. Schulman, Quantum wires with strain effect: Tight-binding analysis 267 (1992) 291
T. Takagahara, Quantum dot lattice and enhanced excitonic optical nonlinearity 267 (1992) 310
M. Kriechbaum, H. Krenn, H. Enichlmair, N. Frank and G. Bauer, Observation of miniband formation in light induced magnetization in diluted magnetic $Pb_{1-x}Mn_xTe/PbTe$ quantum wells 267 (1992) 349
E.C. Valadares, F.W. Sheard and L. Eaves, Sequential tunneling of holes in p-type semiconductor double-barrier heterostructures 267 (1992) 409
P. Castrillo, G. Armelles, P.S. Domínguez, J. Meléndez, F. Briones and K. Ploog, Growth and characterization of AlAs/InAs superlattices on {100}, {211} and {311} GaAs substrates 267 (1992) 413
N.J. Pulsford and K. Ploog, Zone-folded minibands in a GaAs/AlGaAs superlattice 267 (1992) 445
A.M. Cohen, S.R. Aladim and G.E. Marques, Hybridization and strain effects on the optical absorption of quantum wells 267 (1992) 464

Cadmium selenide
T. Taguchi, T. Ohno and Y. Nozue, Localization and relaxation of excitons in CdZnS/ZnS strained-layer superlattices studied by photoluminescence excitation and photocurrent spectroscopies 267 (1992) 141

Elsevier Science Publishers B.V. and Yamada Science Foundation

Cadmium telluride

R.T. Grimes, T.J.B.M. Janssen, M.B. Stanaway, C.J.G.M. Langerak, J. Singleton, D.E. Ashenford, B. Lunn, G. Hill and J.M. Chamberlain, The two-dimensional electron gas at the CdTe/InSb interface: Cyclotron resonance and Shubnikov–de Haas investigations 267 (1992) 133

E. Deleporte, G. Peter, J.M. Berroir and C. Delalande, Optical investigations of a CdTe/(Cd, Zn)Te quantum well separate confinement heterostructure 267 (1992) 137

S. Jackson, J.P. Goodwin, T.J. Gregory, J.E. Nicholls, W.E. Hagston, B. Lunn and D.E. Ashenford, Vertical transport in magnetic II-VI superlattices by optical methods 267 (1992) 145

M.J. Lawless, R.J. Nicholas, M.J. McNamee, W. Hayes, D.E. Ashenford and B. Lunn, Magneto-optical studies of CdTe : $Cd_{1-x}Mn_xTe$ superlattices 267 (1992) 354

Chalcogens

K. Ueno, H. Abe, K. Saiki, A. Koma, H. Oigawa and Y. Nannichi, Hetero-epitaxy of layered compound semiconductor GaSe onto GaAs surfaces for very effective passivation of nanometer structures 267 (1992) 43

S. Zhang, N. Kobayashi and Y. Horikoshi, Growth and characterization of thin ZnSe/GaAs/ZnSe quantum wells 267 (1992) 124

Y. Yamada, Y. Masumoto and T. Taguchi, Hydrostatic pressure dependence of two-dimensional exciton luminescence in ZnSe/ZnS strained-layer superlattices 267 (1992) 129

A. Ishida, K. Matsushita, T. Sugimoto, H. Akimoto, S. Mohammadnejad and H. Fujiyasu, Photoconductive properties of PbSrS/PbSnS superlattices 267 (1992) 149

D. Li, Y. Nakamura, N. Otsuka, J. Qiu, M. Kobayashi and R.L. Gunshor, Vacancy ordering at heterovalent interfaces 267 (1992) 181

M.A. Foad, A.P. Smart, M. Watt, C.M. Sotomayor Torres, W. Kuhn, H.P. Wagner, H. Leiderer, S. Bauer, C.D.W. Wilkinson, W. Gebhardt and M. Razeghi, Optical assessment of reactive ion etched ZnTe and ZnSe for nanostructures 267 (1992) 223

T. Chikyow, S. Takahashi and N. Koguchi, Surface structure dependence of GaAs microcrystals size grown by As-incorporation into Ga droplets 267 (1992) 241

M. Kriechbaum, H. Krenn, H. Enichlmair, N. Frank and G. Bauer, Observation of miniband formation in light induced magnetization in diluted magnetic $Pb_{1-x}Mn_xTe/PbTe$ quantum wells 267 (1992) 349

J. Ding, H. Jeon, T. Ishihara, A.V. Nurmikko, H. Luo, N. Samarth and J. Furdyna, Excitonic gain and stimulated emission in ZnSe-based quantum wells up to room temperature 267 (1992) 616

Cobalt

M. Tanaka, H. Sakakibara, T. Nishinaga, N. Ikarashi and K. Ishida, Growth of CoAl/AlAs/GaAs metal/semiconductor heterostructures by molecular beam epitaxy 267 (1992) 38

Conductivity

J.H. Thompson, D.A. Ritchie, G.A.C. Jones, E.H. Linfield, J.E.F. Frost, A.C. Churchill, G.W. Smith, D. Lee, M. Houlton and C.R. Whitehouse, Dopant patterning of MBE GaAs during growth by very low energy focussed tin ion beam deposition 267 (1992) 69

K. Ismail, B.S. Meyerson, J. Nocera, F.F. Fang and P.J. Wang, Effect of strain in Si/SiGe modulation-doped quantum wells 267 (1992) 94

T. Noda, J. Motohisa and H. Sakaki, Atomic structure of monolayer AlAs islands on GaAs and its anisotropy revealed by mobility study in island-inserted quantum wells 267 (1992) 187
R. Nötzel, L. Däweritz, N.N. Ledentsov and K. Ploog, Electronic properties of semiconductor quantum-wire structures directly grown on (311) surfaces 267 (1992) 209
K. Tsubaki, T. Honda, H. Saito and T. Fukui, Density of states of AlAs/GaAs fractional layer superlattice quantum wires in a modulation doped structure 267 (1992) 270
J.P. Bird, A.D.C. Grassie, M. Lakrimi, K.M. Hutchings, P. Meeson, J.J. Harris and C.T. Foxon, Coherence limiting length scale in ultra high mobility GaAs/AlGaAs heterojunction wires 267 (1992) 277
M. Tsuchiya, H. Sugawara, T. Inoshita, A. Shimizu and H. Sakaki, Electron concentration and mobility in selectively doped edge quantum wires 267 (1992) 296
J.P. Eisenstein, T.J. Gramila, L.N. Pfeiffer and K.W. West, Resonant tunneling in GaAs/AlGaAs double quantum wells 267 (1992) 377
F. Laruelle, A. Ramdane and G. Faini, Experimental investigation of ionized impurity scattering in double barrier resonant tunneling diodes 267 (1992) 396
C. Nguyen, K. Ensslin and H. Kroemer, Magneto-transport in InAs/AlSb quantum wells with large electron concentration modulation 267 (1992) 549
K.H. Gulden, P. Kiesel, P. Riel and G.H. Döhler, Giant ambipolar diffusion constant in n–i–p–i structures 267 (1992) 566
E. Okuno, J. Kondo, N. Sawaki and I. Akasaki, Real space transfer and modulation of electron mobility in GaAs/AlGaAs double quantum well structures 267 (1992) 570
J.F. Palmier, G. Etemadi, A. Sibille, M. Hadjazi, F. Mollot and R. Planel, High field miniband conduction in GaAs/AlAs superlattices 267 (1992) 574
H. Sakaki, Quantum wires, quantum boxes and related structures: Physics, device potentials and structural requirements 267 (1992) 623

Cyclotron resonance studies

R.T. Grimes, T.J.B.M. Janssen, M.B. Stanaway, C.J.G.M. Langerak, J. Singleton, D.E. Ashenford, B. Lunn, G. Hill and J.M. Chamberlain, The two-dimensional electron gas at the CdTe/InSb interface: Cyclotron resonance and Shubnikov–de Haas investigations 267 (1992) 133
J. Scriba, S. Seitz, A. Wixforth, J.P. Kotthaus, G. Tuttle, J.H. English and H. Kroemer, Electronic properties and far infrared spectroscopy of InAs/AlSb quantum wells 267 (1992) 483

Diffusion

K. Brunner, G. Abstreiter, M. Walther, G. Böhm and G. Tränkle, Optical characterization of GaAs/AlGaAs nanostructures fabricated by focussed laser beam induced thermal interdiffusion 267 (1992) 218
K.H. Gulden, P. Kiesel, P. Riel and G.H. Döhler, Giant ambipolar diffusion constant in n–i–p–i structures 267 (1992) 566

Electron diffraction

S. Hasegawa, K. Kimura, M. Sato, K. Maehashi and H. Nakashima, Step structures during MBE growth of GaAs and AlGaAs films on vicinal GaAs(110) surfaces inclined toward (111)B 267 (1992) 5
M. Tanaka, H. Sakakibara, T. Nishinaga, N. Ikarashi and K. Ishida, Growth of CoAl/AlAs/GaAs metal/semiconductor heterostructures by molecular beam epitaxy 267 (1992) 38

K. Ueno, H. Abe, K. Saiki, A. Koma, H. Oigawa and Y. Nannichi, Hetero-epitaxy of layered compound semiconductor GaSe onto GaAs surfaces for very effective passivation of nanometer structures 267 (1992) 43
S. Yoshida, H. Okumura, S. Misawa and E. Sakuma, Hetero-epitaxial growth of cubic GaN on GaAs by gas-source molecular beam epitaxy 267 (1992) 50

Electron microscopy

T. Hayakawa, M. Morishima, M. Nagai, H. Horie and K. Matsumoto, Limiting mechanism of molecular beam epitaxial growth of AlGaAs on (111) face 267 (1992) 8
S. Shimomura, S. Ohkubo, Y. Yuba, S. Namba, S. Hiyamizu, M. Shigeta, T. Yamamoto and K. Kobayashi, MBE growth of GaAs/AlAs QW structures on GaAs channeled stubstrates with submicron facets 267 (1992) 13
M. Tanaka, H. Sakakibara, T. Nishinaga, N. Ikarashi and K. Ishida, Growth of CoAl/AlAs/GaAs metal/semiconductor heterostructures by molecular beam epitaxy 267 (1992) 38
M. Ishida, S. Yuda, K. Kamigaki, H. Terauchi, S. Hiyamizu and N. Sano, Wire-like island growth of epitaxial NiAl on AlAs by molecular beam epitaxy 267 (1992) 54
S. Zhang, N. Kobayashi and Y. Horikoshi, Growth and characterization of thin ZnSe/GaAs/ZnSe quantum wells 267 (1992) 124
D. Li, Y. Nakamura, N. Otsuka, J. Qiu, M. Kobayashi and R.L. Gunshor, Vacancy ordering at heterovalent interfaces 267 (1992) 181
O. Brandt, L. Tapfer, K. Ploog, R. Bierwolf, F. Phillipp and M. Hohenstein, Direct synthesis of InAs quantum dots in single-crystalline GaAs matrix by molecular beam epitaxy 267 (1992) 204
S.S. Chang, S. Ando and T. Fukui, Fabrication of high density ultrafine GaAs quantum wire array structures using selective metalorganic chemical vapor deposition 267 (1992) 214
T. Fukui, S. Ando, T. Honda and T. Toriyama, GaAs tetrahedral quantum dot structures fabricated using selective area MOCVD 267 (1992) 236
T. Chikyow, S. Takahashi and N. Koguchi, Surface structure dependence of GaAs microcrystals size grown by As-incorporation into Ga droplets 267 (1992) 241
J. Christen, E. Kapon, E. Colas, D.M. Hwang, L.M. Schiavone, M. Grundmann and D. Bimberg, Cathodoluminescence investigation of lateral carrier confinement in GaAs/AlGaAs quantum wires grown by OMCVD on nonplanar substrates 267 (1992) 257

Electron scattering

Y. Morishita, Y. Nomura, S. Goto, Y. Katayama and T. Isu, Observations of facet formation during MOMBE of GaAs on a patterned substrate 267 (1992) 17
D.H. Woo, D.W. Kim, Y.A. Leem, J.C. Woo, J.E. Oh and T.M. Hsu, Optical characterization of coherently strained short-period superlattice $(InAs)_n(AlAs)_n$ grown by molecular beam epitaxy 267 (1992) 114
S. Zhang, N. Kobayashi and Y. Horikoshi, Growth and characterization of thin ZnSe/GaAs/ZnSe quantum wells 267 (1992) 124
M. Tsuchiya, H. Sugawara, T. Inoshita, A. Shimizu and H. Sakaki, Electron concentration and mobility in selectively doped edge quantum wires 267 (1992) 296
G. Bastard and R. Ferreira, Spin-flip scattering times in semiconductor quantum wells 267 (1992) 335
T. Kitatani, J.P. Bird and Y. Ochiai, The low-temperature magnetoresistance of Si/Nb superlattices 267 (1992) 583

Electron spin resonance
K. Asami, H. Asahi, T. Watanabe, S. Gonda, H. Okumura and S. Yoshida, Photoluminescence and electroreflectance of GaP/AlP superlattices grown by gas source MBE 267 (1992) 450

Epitaxy
A. Koma, New epitaxial growth method for modulated structures using Van der Waals interactions 267 (1992) 29

Etching
Ch. Gréus, A. Forchel, G. Mauckner, M. Emmerling, J. Straka and K. Pieger, Optical spectroscopy on InGaAs/GaAs quantum wires defined by selective barrier removal 267 (1992) 263

Faceting
Y. Morishita, Y. Nomura, S. Goto, Y. Katayama and T. Isu, Observations of facet formation during MOMBE of GaAs on a patterned substrate 267 (1992) 17

Gallium
H. Asahi, S.J. Yu, J. Takizawa, S.G. Kim, Y. Okuno, T. Taneko, S. Emura, S. Gonda, H. Kubo, C. Hamaguchi and Y. Hirayama, InGaAsP/InP quantum wires fabricated by focused Ga ion beam implantation 267 (1992) 232

Gallium antimonide
G. Brozak, B.V. Shanabrook, D. Gammon, D.A. Broido, R. Beresford and W.I. Wang, Intersubband transitions in piezoelectric superlattices 267 (1992) 120
E.E. Mendez, Interband magneto-tunneling in polytype type II heterostructures 267 (1992) 370

Gallium arsenide
S. Hasegawa, K. Kimura, M. Sato, K. Maehashi and H. Nakashima, Step structures during MBE growth of GaAs and AlGaAs films on vicinal GaAs(110) surfaces inclined toward (111)B 267 (1992) 5
T. Hayakawa, M. Morishima, M. Nagai, H. Horie and K. Matsumoto, Limiting mechanism of molecular beam epitaxial growth of AlGaAs on (111) face 267 (1992) 8
S. Shimomura, S. Ohkubo, Y. Yuba, S. Namba, S. Hiyamizu, M. Shigeta, T. Yamamoto and K. Kobayashi, MBE growth of GaAs/AlAs QW structures on GaAs channeled stubstrates with submicron facets 267 (1992) 13
Y. Morishita, Y. Nomura, S. Goto, Y. Katayama and T. Isu, Observations of facet formation during MOMBE of GaAs on a patterned substrate 267 (1992) 17
S. Yamakawa, M. Hisada, S. Shimomura, Y. Yuba, S. Namba, Y. Okamoto, M. Shigeta, T. Yamamoto, K. Kobayashi, N. Sano and S. Hiyamizu, Pseudomorphic InGaAs/AlAs quantum wells grown on GaAs channeled substrates by MBE 267 (1992) 21
M. Fujii, T. Yamamoto, M. Shigeta, T. Takebe, K. Kobayashi, S. Hiyamizu and I. Fujimoto, Lateral p–n junctions on GaAs(111)A substrates patterned with equilateral triangles 267 (1992) 26
N. Inoue, H. Yokoyama, M. Shinohara and T. Murashita, GaAs/AlAs quantum structures grown by atomic layer epitaxy 267 (1992) 34
M. Tanaka, H. Sakakibara, T. Nishinaga, N. Ikarashi and K. Ishida, Growth of CoAl/AlAs/GaAs metal/semiconductor heterostructures by molecular beam epitaxy 267 (1992) 38

K. Ueno, H. Abe, K. Saiki, A. Koma, H. Oigawa and Y. Nannichi, Hetero-epitaxy of layered compound semiconductor GaSe onto GaAs surfaces for very effective passivation of nanometer structures 267 (1992) 43
S. Yoshida, H. Okumura, S. Misawa and E. Sakuma, Hetero-epitaxial growth of cubic GaN on GaAs by gas-source molecular beam epitaxy 267 (1992) 50
T. Saito and T. Ikoma, Impurity-related bands in GaAs doped with Ge, Zn and Se monolayers 267 (1992) 57
D. Richards, J. Wagner, M. Ramsteiner, U. Ekenberg, G. Fasol and K. Ploog, Effect of spatial localisation of dopant atoms on the confining potential and electron subband structure in δ-doped GaAs:Si 267 (1992) 61
M.-L. Ke, J.S. Rimmer, B. Hamilton, M. Missous, B. Khamsehpour, J.H. Evans, K.E. Singer and P. Zalm, Optical properties of GaAs Si σ-doped superlattices 267 (1992) 65
J.H. Thompson, D.A. Ritchie, G.A.C. Jones, E.H. Linfield, J.E.F. Frost, A.C. Churchill, G.W. Smith, D. Lee, M. Houlton and C.R. Whitehouse, Dopant patterning of MBE GaAs during growth by very low energy focussed tin ion beam deposition 267 (1992) 69
T. Ito and T. Ohno, Pseudopotential approach to band structure and stability for GaAs/Ge superlattices 267 (1992) 87
H. Qiang, F.H. Pollak, C. Mailhiot, G.D. Pettit and J.M. Woodall, Uniaxial stress study of the quantum transitions in a strained layer (001) $In_{0.21}Ga_{0.79}As/GaAs$ single quantum well 267 (1992) 103
K.Muraki, S. Fukatsu, Y. Shiraki and R. Ito, Anomalies in photoluminescence linewidth of InGaAs/GaAs strained-layer quantum wells 267 (1992) 107
X. Zhang, K. Onabe, Y. Nitta, B. Zhang, S. Fukatsu, Y. Shiraki and R. Ito, Optical characterization of band-edge lineups in $GaAs/GaAs_{1-x}P_x$ strained-layer quantum wells 267 (1992) 110
S. Zhang, N. Kobayashi and Y. Horikoshi, Growth and characterization of thin ZnSe/GaAs/ZnSe quantum wells 267 (1992) 124
M.D. Pashley, K.W. Haberern and J.M. Gaines, MBE growth on vicinal GaAs(001) surfaces studied by scanning tunneling microscopy 267 (1992) 153
H. Ohno, E.E. Mendez, A. Alexandrou and J.M. Hong, Tamm states in superlattices 267 (1992) 161
K. Hirakawa, Y. Hashimoto and T. Ikoma, Transient of microscopic valence-charge distribution and electrostatic potential at GaAs/AlAs heterointerfaces 267 (1992) 166
B. Jusserand, F. Mollot, R. Planel, E. Molinari and S. Baroni, Atomic intermixing in short period GaAs/AlAs superlattices 267 (1992) 171
C. López, R.J. Springett, R.J. Nicholas, P.J. Walker, N.J. Mason and W. Hayes, Interface studies of InAs/GaSb superlattices by Raman scattering 267 (1992) 176
D. Li, Y. Nakamura, N. Otsuka, J. Qiu, M. Kobayashi and R.L. Gunshor, Vacancy ordering at heterovalent interfaces 267 (1992) 181
T. Noda, J. Motohisa and H. Sakaki, Atomic structure of monolayer AlAs islands on GaAs and its anisotropy revealed by mobility study in island-inserted quantum wells 267 (1992) 187
M. Sato and Y. Horikoshi, Effect of indium replacement by gallium on ZnAs/GaAs quantized levels 267 (1992) 195
B. Deveaud, A. Chomette, N. Roy, B. Sermage and D.S. Katzer, Optical characterization of the interface in GaAs/AlAs quantum wells 267 (1992) 199
O. Brandt, L. Tapfer, K. Ploog, R. Bierwolf, F. Phillipp and M. Hohenstein, Direct synthesis of InAs quantum dots in single-crystalline GaAs matrix by molecular beam epitaxy 267 (1992) 204
R. Nötzel, L. Däweritz, N.N. Ledentsov and K. Ploog, Electronic properties of semiconductor quantum-wire structures directly grown on (311) surfaces 267 (1992) 209

S.S. Chang, S. Ando and T. Fukui, Fabrication of high density ultrafine GaAs quantum wire array structures using selective metalorganic chemical vapor deposition 267 (1992) 214
K. Brunner, G. Abstreiter, M. Walther, G. Böhm and G. Tränkle, Optical characterization of GaAs/AlGaAs nanostructures fabricated by focussed laser beam induced thermal interdiffusion 267 (1992) 218
L. Tapfer, G.C. La Rocca, H. Lage, R. Cingolani, P. Grambow, A. Fischer, D. Heitmann and K. Ploog, Observation and analysis of quantum wire structures by high-resolution X-ray diffraction 267 (1992) 227
T. Fukui, S. Ando, T. Honda and T. Toriyama, GaAs tetrahedral quantum dot structures fabricated using selective area MOCVD 267 (1992) 236
T. Chikyow, S. Takahashi and N. Koguchi, Surface structure dependence of GaAs microcrystals size grown by As-incorporation into Ga droplets 267 (1992) 241
D. Heitmann, K. Kern, T. Demel, P. Grambow, K. Ploog and Y.H. Zhang, Spectroscopy of quantum dots and antidots 267 (1992) 245
J.Y. Marzin, A. Izrael, L. Birotheau, N. Roy, R. Azoulay, D. Robein, J.-L. Benchimol, L. Henry, V. Thierry-Mieg, F.R. Ladan and L. Taylor, Luminescence of narrow RIE etched $In_{1-x}Ga_xAs/InP$ and $GaAs/Ga_{1-x}Al_xAs$ quantum wires 267 (1992) 253
J. Christen, E. Kapon, E. Colas, D.M. Hwang, L.M. Schiavone, M. Grundmann and D. Bimberg, Cathodoluminescence investigation of lateral carrier confinement in GaAs/AlGaAs quantum wires grown by OMCVD on nonplanar substrates 267 (1992) 257
Ch. Gréus, A. Forchel, G. Mauckner, M. Emmerling, J. Straka and K. Pieger, Optical spectroscopy on InGaAs/GaAs quantum wires defined by selective barrier removal 267 (1992) 263
A. Tackeuchi, H. Kitada, H. Arimoto, Y. Sugiyama, T. Inata, Y. Yamaguchi, Y. Nakata, S. Nakamura and S. Muto, Picosecond absorption recovery of 100 nm GaAs/AlGaAs MQW wires 267 (1992) 267
K. Tsubaki, T. Honda, H. Saito and T. Fukui, Density of states of AlAs/GaAs fractional layer superlattice quantum wires in a modulation doped structure 267 (1992) 270
J. Wagner, A. Hülsmann, G. Kaufel and K. Köhler, Raman spectroscopic assessment of laterally structured δ-doped GaAs:Si 267 (1992) 274
J.P. Bird, A.D.C. Grassie, M. Lakrimi, K.M. Hutchings, P. Meeson, J.J. Harris and C.T. Foxon, Coherence limiting length scale in ultra high mobility GaAs/AlGaAs heterojunction wires 267 (1992) 277
S. Takaoka, K. Tsukagoshi, K. Oto, T. Sawasaki, K. Murase, Y. Takagaki, K. Gamo and S. Namba, Nonlocal quantum conduction and the influence of contact resistance in GaAs/AlGaAs wires 267 (1992) 282
T. Yamauchi, Y. Arakawa and J.N. Schulman, Quantum wires with strain effect: Tight-binding analysis 267 (1992) 291
M. Kasu, H. Ando, H. Saito and T. Fukui, Polarized photoluminescence of fractional layer superlattices 267 (1992) 300
J. Shah, K. Leo, E. Göbel, S. Schmitt-Rink, T. Damen, W. Schäfer and K. Köhler, Quantum beats of excitons in quantum wells 267 (1992) 304
O. Brandt, H. Lage, G.C. La Rocca, A. Heberle and K. Ploog, Role of broken translational invariance for the optical response of excitons in low-dimensional semiconductors 267 (1992) 319
M. Zachau, J.A. Kash and W.T. Masselink, The role of coherence length of excitons in thin quantum wells 267 (1992) 327

K. Fujiwara, K. Kawashima, K. Kobayashi and N. Sano, Enhanced excitonic transitions in strained $In_xGa_{1-x}As/Al_{0.15}Ga_{0.85}As$ quantum well heterostructures 267 (1992) 331
Ph. Roussignol, P. Rolland, R. Ferreira, C. Delalande, G. Bastard, A. Vinattieri, L. Carraresi, M. Colocci and B. Etienne, Time-resolved spin-polarization spectroscopy in GaAs/AlGaAs quantum wells 267 (1992) 360
R.J. Warburton, M.J. Lawless and R.J. Nicholas, Valence band spin of semiconductor superlattices 267 (1992) 365
J.P. Eisenstein, T.J. Gramila, L.N. Pfeiffer and K.W. West, Resonant tunneling in GaAs/AlGaAs double quantum wells 267 (1992) 377
L.A. Cury, D.K. Maude, F. Aristone, J.C. Portal, D.L. Sivco, A.Y. Cho and G. Hill, The influence of a two- or three-dimensional electron gas in the emitter of resonant tunnelling structures 267 (1992) 383
H. Asahi, M. Tewordt, R.T. Syme, M.J. Kelly, V.J. Law, J.E.F. Frost, D.A. Ritchie, G.A.C. Jones and M. Pepper, Fine structure in the *I–V* characteristics of GaAs/AlGaAs submicron diameter triple barrier diodes 267 (1992) 388
F. Laruelle, A. Ramdane and G. Faini, Experimental investigation of ionized impurity scattering in double barrier resonant tunneling diodes 267 (1992) 396
P.C. Harness, J.H. Evans, B. Khamsehpour, W.S. Truscott, K.E. Singer, M.-L. Ke, J.S. Rimmer and B. Hamilton, Optical and electrical measurements on AlGaAs/GaAs resonant tunneling structures incorporating superlattice energy filters 267 (1992) 401
M.S. Kiledjian, J.N. Schulman, K.L. Wang and K.V. Rousseau, Hole and interband resonant tunneling in GaAs/GaAlAs and InAs/GaSb/AlSb tunnel structures 267 (1992) 405
M.S. Kiledjian, J.N. Schulman, K.L. Wang and K.V. Rousseau, Hole and interband resonant tunneling in GaAs/GaAlAs and InAs/GaSb/AlSb tunnel structures 267 (1992) 405
F. Calle, J.M. Calleja, C. Tejedor, L. Viña, Double Raman resonances by light and heavy magneto-excitons in GaAs/AlAs multiquantum wells 267 (1992) 418
H. Tanino and A. Amano, Raman scattering study of ultra-thin layers of AlAs buried in GaAs 267 (1992) 422
G. Scamarcio, E. Molinari, L. Tapfer, M. Lugarà and K. Ploog, Infrared reflectivity and Raman spectra of $(GaAs)_m(AlAs)_n$ ultrathin layer superlattices 267 (1992) 430
N.J. Pulsford and K. Ploog, Zone-folded minibands in a GaAs/AlGaAs superlattice 267 (1992) 445
M.S. Kiledjian, J.N. Schulman and K.L. Wang, Intersubband quantum well absorption with resonant barriers 267 (1992) 454
R. Cingolani, Y.H. Zhang, R. Rinaldi, M. Ferrara and K. Ploog, Momentum conservation of the electron–hole recombination near the one-component to two-component carrier plasma transition 267 (1992) 457
E. Ehrenfreund, J. Oiknine-Schlesinger, D. Gershoni, D. Ritter, M.B. Panish and R.A. Hamm, Intersubband transitions in InGaAs/InP quantum wells studies by photomodulation spectroscopy 267 (1992) 461
A.M. Cohen, S.R. Aladim and G.E. Marques, Hybridization and strain effects on the optical absorption of quantum wells 267 (1992) 464
T. Matsuoka, T. Nakazawa, T. Ohya, T. Miyatake, M. Yamaguchi, K. Taniguchi, C. Hamaguchi, H. Kato and Y. Watanabe, Weakly allowed optical transition due to the zone-folding effect in $(GaAs)_n/(AlAs)_n$ superlattices 267 (1992) 470
M. Dutta, H. Shen, D.D. Smith, K.K. Choi and P.G. Newman, Localization of electrons by electric field in GaAs/AlAs Γ–X coupled structures 267 (1992) 474

J.-P. Cheng, B.D. McCombe and G. Brozak, Impurity-bound magnetopolarons in confined structures 267 (1992) 488
H. Schneider, K. Kawashima, K. Fujiwara and K. Ploog, Electric field-induced delocalization effects in GaAs/AlAs single- and double-period superlattices 267 (1992) 497
Y. Kajikawa, M. Hata, T. Isu and Y. Katayama, Linear polarization effects in (110) quantum wells for light propagating perpendicular to the well planes 267 (1992) 501
M. Nithisoontorn, R. Dum, K. Unterrainer, J.S. Michaelis, E. Gornik, N. Sawaki and H. Kano, Two-photon magnetoabsorption in GaAs/AlGaAs multiple quantum wells 267 (1992) 505
A. Fasolino, G. Platero, M. Potemski, J.C. Maan, K. Ploog and G. Weimann, Interband magneto-optics in GaAs/AlGaAs quantum wells in a parallel field 267 (1992) 509
H.C. Liu, A.G. Steele, M. Buchanan and Z.R. Wasilewski, Infrared transmission and photocurrent spectroscopic study of a coupled asymmetrical quantum well structure 267 (1992) 514
T. Tezuka, A. Kurobe, Y. Ashizawa, H. Yoshida and M. Nakamura, Effects of residual doping on the quantum confined Stark effect in p–i–n multiple quantum well structures 267 (1992) 518
T.A. Fisher, P.E. Simmonds, M.S. Skolnick, D.M. Whittaker, R.S. Smith and N.A. McLean, Carrier density dependent effects on the Fermi energy edge singularity in quantum wells containing two occupied subbands 267 (1992) 528
L. Viña, L. Muñoz, N. Mestres, E.S. Koteles, D.C. Bertolet and K.M. Lau, Magneto-optical properties of quantum wells under biaxial tensile strain 267 (1992) 533
M. Nakayama, I. Tanaka, T. Doguchi, S. Koh, H. Nishimura, K. Kawashima and K. Fujiwara, Electroreflectance and transfer-matrix analysis of Stark-ladder transitions in a GaAs/AlAs superlattice 267 (1992) 537
V.L. Alperovich, V.A. Haisler, A.S. Jaroshevich, N.T. Moshegov, A.S. Terekhov, A.I. Toropov and V.A. Tkachenko, Electron and hole tunneling resonances of Wannier–Stark states in GaAs/AlAs superlattices 267 (1992) 541
Z. Barticevic, M. Pacheco and F. Claro, Electronic and optical spectrum for a superlattice in parallel magnetic and electric fields: Six-band model 267 (1992) 545
B. Deveaud, A. Chomette, F. Clérot, B. Lambert, P. Auvray, M. Gauneau and A. Regreny, Direct probing of vertical electron movement in superlattices by sub-picosecond luminescence 267 (1992) 558
H. Noguchi, T. Takamasu, N. Miura and H. Sakaki, Observation of optical-phonon-scattering inhibited region in longitudinal magnetoresistance in superlattices 267 (1992) 562
E. Okuno, J. Kondo, N. Sawaki and I. Akasaki, Real space transfer and modulation of electron mobility in GaAs/AlGaAs double quantum well structures 267 (1992) 570
J.F. Palmier, G. Etemadi, A. Sibille, M. Hadjazi, F. Mollot and R. Planel, High field miniband conduction in GaAs/AlAs superlattices 267 (1992) 574
H.T. Grahn, W. Müller, K. von Klitzing and K. Ploog, Electric-field domains in superlattices: A comparison of transport and optical generation 267 (1992) 579
T. Fukui, K. Tsubaki, H. Saito, M. Kasu and T. Honda, Fractional superlattices grown by MOCVD and their device applications 267 (1992) 588
E. Kapon, D.M. Hwang, M. Walther, R. Bhat and N.G. Stoffel, Two-dimensional quantum confinement in multiple quantum wire lasers grown by OMCVD on V-grooved substrates 267 (1992) 593
B. Vinter, N. Vodjdani, V. Berger, E. Böckenhoff and E. Costard, Switching between two mid-infrared intersubband absorption energies in double quantum wells 267 (1992) 601
Y. Yamamoto, S. Machida and G. Björk, Cavity quantum electrodynamics in quantum well lasers 267 (1992) 605

Y. Honda, Y. Lee, M. Yamanishi, N. Ochi, T. Shiotani and I. Suemune, Systematic alterations of excitonic spontaneous emission through continuous tuning of emission wavelength in AlGaAs quantum microcavities 267 (1992) 612
T. Mishina, F. Sasaki and Y. Masumoto, Ultrafast optical nonlinearities in type-II AlGaAs/AlAs multiple-quantum-well structures and their device applicability 267 (1992) 634
L.M. Weegels, E.-J. Vonken, J.E.M. Haverkort, M.R. Leys and J.H. Wolter, A novel mechanism for light-activated switching in pseudomorphic heterostructures 267 (1992) 638
K. Kawashima, K. Fujiwara, T. Yamamoto, M. Sigeta and K. Kobayashi, Electro-optical bistability in GaAs/AlAs superlattices with different miniband widths 267 (1992) 643

Gallium phosphide

X. Zhang, K. Onabe, Y. Nitta, B. Zhang, S. Fukatsu, Y. Shiraki and R. Ito, Optical characterization of band-edge lineups in GaAs/$GaAs_{1-x}P_x$ strained-layer quantum wells 267 (1992) 110
K. Asami, H. Asahi, T. Watanabe, S. Gonda, H. Okumura and S. Yoshida, Photoluminescence and electroreflectance of GaP/AlP superlattices grown by gas source MBE 267 (1992) 450
L. Viña, L. Muñoz, N. Mestres, E.S. Koteles, D.C. Bertolet and K.M. Lau, Magneto-optical properties of quantum wells under biaxial tensile strain 267 (1992) 533

Germanium

K.L. Wang, R.P.G. Karunasiri and J.S. Park, Intersubband absorption in $Si_{1-x}Ge_x$/Si and σ-doped Si multiple quantum wells 267 (1992) 74
S. Fukatsu, K. Fujita, H. Yaguchi, Y. Shiraki and R. Ito, Atomistic picture of interfacial mixing in the Si/Ge heterostructures 267 (1992) 79
P. Vogl, J. Olajos, W. Wegscheider and G. Abstreiter, Electronic structure and optical properties of short-period α-Sn_nGe_m superlattices 267 (1992) 83
T. Ito and T. Ohno, Pseudopotential approach to band structure and stability for GaAs/Ge superlattices 267 (1992) 87
J. Wilhelm, W. Wegscheider and G. Abstreiter, Sharp doping profiles and two-dimensional electron systems in Ge based heterostructures 267 (1992) 90
K. Ismail, B.S. Meyerson, J. Nocera, F.F. Fang and P.J. Wang, Effect of strain in Si/SiGe modulation-doped quantum wells 267 (1992) 94
Y. Yin, D. Yan, F.H. Pollak, M.S. Hybertsen, J.M. Vandenberg and J.C. Bean, Piezoreflectance of strained Si/Ge superlattices grown on Ge(001) 267 (1992) 99
D. Li, Y. Nakamura, N. Otsuka, J. Qiu, M. Kobayashi and R.L. Gunshor, Vacancy ordering at heterovalent interfaces 267 (1992) 181
D.J. Lockwood, Application of high-resolution Raman spectroscopy to the study of superlattice acoustic phonons 267 (1992) 438

Halides

Y. Masumoto, T. Wamura and T. Kawamura, Size selective nonlinear optical spectroscopy of excitons in CuCl quantum dots 267 (1992) 315
T. Ishihara, X. Hong, J. Ding and A.V. Nurmikko, Dielectric confinement effect for exciton and biexciton states in PbI_4-based two-dimensional semiconductor structures 267 (1992) 323
H. Munekata, T. Penney and L.L. Chang, Diluted magnetic III-V semiconductor structures 267 (1992) 342

Hall effect
K. Ismail, B.S. Meyerson, J. Nocera, F.F. Fang and P.J. Wang, Effect of strain in Si/SiGe modulation-doped quantum wells 267 (1992) 94
S. Takaoka, K. Tsukagoshi, K. Oto, T. Sawasaki, K. Murase, Y. Takagaki, K. Gamo and S. Namba, Nonlocal quantum conduction and the influence of contact resistance in GaAs/AlGaAs wires 267 (1992) 282
K. Ensslin, M. Sundaram, A. Wixforth and A.C. Gossard, Suppression of quantum Hall plateaus and nonlinear Landau level fan diagram in a parabolic quantum well 267 (1992) 553

Heterostructures
E. Deleporte, G. Peter, J.M. Berroir and C. Delalande, Optical investigations of a CdTe/(Cd, Zn)Te quantum well separate confinement heterostructure 267 (1992) 137
K. Hirakawa, Y. Hashimoto and T. Ikoma, Transient of microscopic valence-charge distribution and electrostatic potential at GaAs/AlAs heterointerfaces 267 (1992) 166
M. Zachau, J.A. Kash and W.T. Masselink, The role of coherence length of excitons in thin quantum wells 267 (1992) 327
E.E. Mendez, Interband magneto-tunneling in polytype type II heterostructures 267 (1992) 370
E.C. Valadares, F.W. Sheard and L. Eaves, Sequential tunneling of holes in p-type semiconductor double-barrier heterostructures 267 (1992) 409
L.M. Weegels, E.-J. Vonken, J.E.M. Haverkort, M.R. Leys and J.H. Wolter, A novel mechanism for light-activated switching in pseudomorphic heterostructures 267 (1992) 638

Indium antimonide
R.T. Grimes, T.J.B.M. Janssen, M.B. Stanaway, C.J.G.M. Langerak, J. Singleton, D.E. Ashenford, B. Lunn, G. Hill and J.M. Chamberlain, The two-dimensional electron gas at the CdTe/InSb interface: Cyclotron resonance and Shubnikov–de Haas investigations 267 (1992) 133
E.E. Mendez, Interband magneto-tunneling in polytype type II heterostructures 267 (1992) 370
J. Scriba, S. Seitz, A. Wixforth, J.P. Kotthaus, G. Tuttle, J.H. English and H. Kroemer, Electronic properties and far infrared spectroscopy of InAs/AlSb quantum wells 267 (1992) 483
C. Nguyen, K. Ensslin and H. Kroemer, Magneto-transport in InAs/AlSb quantum wells with large electron concentration modulation 267 (1992) 549

Indium arsenide
S. Yamakawa, M. Hisada, S. Shimomura, Y. Yuba, S. Namba, Y. Okamoto, M. Shigeta, T. Yamamoto, K. Kobayashi, N. Sano and S. Hiyamizu, Pseudomorphic InGaAs/AlAs quantum wells grown on GaAs channeled substrates by MBE 267 (1992) 21
H. Qiang, F.H. Pollak, C. Mailhiot, G.D. Pettit and J.M. Woodall, Uniaxial stress study of the quantum transitions in a strained layer (001) $In_{0.21}Ga_{0.79}As/GaAs$ single quantum well 267 (1992) 103
K.Muraki, S. Fukatsu, Y. Shiraki and R. Ito, Anomalies in photoluminescence linewidth of InGaAs/GaAs strained-layer quantum wells 267 (1992) 107
D.H. Woo, D.W. Kim, Y.A. Leem, J.C. Woo, J.E. Oh and T.M. Hsu, Optical characterization of coherently strained short-period superlattice $(InAs)_n(AlAs)_n$ grown by molecular beam epitaxy 267 (1992) 114
C. López, R.J. Springett, R.J. Nicholas, P.J. Walker, N.J. Mason and W. Hayes, Interface studies of InAs/GaSb superlattices by Raman scattering 267 (1992) 176

M. Sato and Y. Horikoshi, Effect of indium replacement by gallium on ZnAs/GaAs quantized levels 267 (1992) 195
O. Brandt, L. Tapfer, K. Ploog, R. Bierwolf, F. Phillipp and M. Hohenstein, Direct synthesis of InAs quantum dots in single-crystalline GaAs matrix by molecular beam epitaxy 267 (1992) 204
H. Asahi, S.J. Yu, J. Takizawa, S.G. Kim, Y. Okuno, T. Taneko, S. Emura, S. Gonda, H. Kubo, C. Hamaguchi and Y. Hirayama, InGaAsP/InP quantum wires fabricated by focused Ga ion beam implantation 267 (1992) 232
J.Y. Marzin, A. Izrael, L. Birotheau, N. Roy, R. Azoulay, D. Robein, J.-L. Benchimol, L. Henry, V. Thierry-Mieg, F.R. Ladan and L. Taylor, Luminescence of narrow RIE etched $In_{1-x}Ga_xAs/InP$ and $GaAs/Ga_{1-x}Al_xAs$ quantum wires 267 (1992) 253
Ch. Gréus, A. Forchel, G. Mauckner, M. Emmerling, J. Straka and K. Pieger, Optical spectroscopy on InGaAs/GaAs quantum wires defined by selective barrier removal 267 (1992) 263
T. Yamauchi, Y. Arakawa and J.N. Schulman, Quantum wires with strain effect: Tight-binding analysis 267 (1992) 291
K. Fujiwara, K. Kawashima, K. Kobayashi and N. Sano, Enhanced excitonic transitions in strained $In_xGa_{1-x}As/Al_{0.15}Ga_{0.85}As$ quantum well heterostructures 267 (1992) 331
R.J. Warburton, M.J. Lawless and R.J. Nicholas, Valence band spin of semiconductor superlattices 267 (1992) 365
E.E. Mendez, Interband magneto-tunneling in polytype type II heterostructures 267 (1992) 370
M.S. Kiledjian, J.N. Schulman, K.L. Wang and K.V. Rousseau, Hole and interband resonant tunneling in GaAs/GaAlAs and InAs/GaSb/AlSb tunnel structures 267 (1992) 405
P. Castrillo, G. Armelles, P.S. Domínguez, J. Meléndez, F. Briones and K. Ploog, Growth and characterization of AlAs/InAs superlattices on {100},{211} and {311} GaAs substrates 267 (1992) 413
Y. Iwai, M. Yano, R. Hagiwara and M. Inoue, Raman scattering from InAs/AlSb ultrathin-layer superlattices grown by molecular beam epitaxy 267 (1992) 434
R. Cingolani, Y.H. Zhang, R. Rinaldi, M. Ferrara and K. Ploog, Momentum conservation of the electron–hole recombination near the one-component to two-component carrier plasma transition 267 (1992) 457
E. Ehrenfreund, J. Oiknine-Schlesinger, D. Gershoni, D. Ritter, M.B. Panish and R.A. Hamm, Intersubband transitions in InGaAs/InP quantum wells studies by photomodulation spectroscopy 267 (1992) 461
A.M. Cohen, S.R. Aladim and G.E. Marques, Hybridization and strain effects on the optical absorption of quantum wells 267 (1992) 464
E. Lugagne-Delpon, P. Voisin, J.P. André, J.N. Patillon and M. Voos, Optical properties of MOCVD-grown AlInAs/InP type-II superlattices 267 (1992) 479
T.A. Fisher, P.E. Simmonds, M.S. Skolnick, D.M. Whittaker, R.S. Smith and N.A. McLean, Carrier density dependent effects on the Fermi energy edge singularity in quantum wells containing two occupied subbands 267 (1992) 528

Indium phosphide

M. Grundmann, A. Krost and D. Bimberg, Crystallographic and optical properties of InP/Si(001) grown by low temperature MOCVD process 267 (1992) 47
I. Tanaka, S. Ohkouchi, F. Osaka and T. Kato, Scanning tunneling microscopy of thermally cleaned InP surfaces in an arsenic flux 267 (1992) 191
H. Asahi, S.J. Yu, J. Takizawa, S.G. Kim, Y. Okuno, T. Taneko, S. Emura, S. Gonda, H. Kubo, C. Hamaguchi and Y. Hirayama, InGaAsP/InP quantum wires fabricated by focused Ga ion beam implantation 267 (1992) 232

J.Y. Marzin, A. Izrael, L. Birotheau, N. Roy, R. Azoulay, D. Robein, J.-L. Benchimol, L. Henry, V. Thierry-Mieg, F.R. Ladan and L. Taylor, Luminescence of narrow RIE etched $In_{1-x}Ga_xAs/InP$ and $GaAs/Ga_{1-x}Al_xAs$ quantum wires 267 (1992) 253
E. Ehrenfreund, J. Oiknine-Schlesinger, D. Gershoni, D. Ritter, M.B. Panish and R.A. Hamm, Intersubband transitions in InGaAs/InP quantum wells studies by photomodulation spectroscopy 267 (1992) 461
E. Lugagne-Delpon, P. Voisin, J.P. André, J.N. Patillon and M. Voos, Optical properties of MOCVD-grown AlInAs/InP type-II superlattices 267 (1992) 479

Infrared spectroscopy
K.L. Wang, R.P.G. Karunasiri and J.S. Park, Intersubband absorption in $Si_{1-x}Ge_x/Si$ and σ-doped Si multiple quantum wells 267 (1992) 74
R.T. Grimes, T.J.B.M. Janssen, M.B. Stanaway, C.J.G.M. Langerak, J. Singleton, D.E. Ashenford, B. Lunn, G. Hill and J.M. Chamberlain, The two-dimensional electron gas at the CdTe/InSb interface: Cyclotron resonance and Shubnikov–de Haas investigations 267 (1992) 133
D. Heitmann, K. Kern, T. Demel, P. Grambow, K. Ploog and Y.H. Zhang, Spectroscopy of quantum dots and antidots 267 (1992) 245
A. Tackeuchi, H. Kitada, H. Arimoto, Y. Sugiyama, T. Inata, Y. Yamaguchi, Y. Nakata, S. Nakamura and S. Muto, Picosecond absorption recovery of 100 nm GaAs/AlGaAs MQW wires 267 (1992) 267
K. Fujiwara, K. Kawashima, K. Kobayashi and N. Sano, Enhanced excitonic transitions in strained $In_xGa_{1-x}As/Al_{0.15}Ga_{0.85}As$ quantum well heterostructures 267 (1992) 331
G. Scamarcio, E. Molinari, L. Tapfer, M. Lugarà and K. Ploog, Infrared reflectivity and Raman spectra of $(GaAs)_m(AlAs)_n$ ultrathin layer superlattices 267 (1992) 430
E. Ehrenfreund, J. Oiknine-Schlesinger, D. Gershoni, D. Ritter, M.B. Panish and R.A. Hamm, Intersubband transitions in InGaAs/InP quantum wells studies by photomodulation spectroscopy 267 (1992) 461
H.C. Liu, A.G. Steele, M. Buchanan and Z.R. Wasilewski, Infrared transmission and photocurrent spectroscopic study of a coupled asymmetrical quantum well structure 267 (1992) 514
A. Wixforth, M. Sundaram, K. Ensslin, J.H. English and A.C. Gossard, Electron plasma resonances in wide parabolic quantum wells 267 (1992) 523
B. Vinter, N. Vodjdani, V. Berger, E. Böckenhoff and E. Costard, Switching between two mid-infrared intersubband absorption energies in double quantum wells 267 (1992) 601

Interfaces
D. Li, Y. Nakamura, N. Otsuka, J. Qiu, M. Kobayashi and R.L. Gunshor, Vacancy ordering at heterovalent interfaces 267 (1992) 181

Luminescence
T. Hayakawa, M. Morishima, M. Nagai, H. Horie and K. Matsumoto, Limiting mechanism of molecular beam epitaxial growth of AlGaAs on (111) face 267 (1992) 8
S. Shimomura, S. Ohkubo, Y. Yuba, S. Namba, S. Hiyamizu, M. Shigeta, T. Yamamoto and K. Kobayashi, MBE growth of GaAs/AlAs QW structures on GaAs channeled stubstrates with submicron facets 267 (1992) 13
S. Yamakawa, M. Hisada, S. Shimomura, Y. Yuba, S. Namba, Y. Okamoto, M. Shigeta, T. Yamamoto, K. Kobayashi, N. Sano and S. Hiyamizu, Pseudomor-

phic InGaAs/AlAs quantum wells grown on GaAs channeled substrates by MBE 267 (1992) 21
M. Fujii, T. Yamamoto, M. Shigeta, T. Takebe, K. Kobayashi, S. Hiyamizu and I. Fujimoto, Lateral p–n junctions on GaAs(111)A substrates patterned with equilateral triangles 267 (1992) 26
N. Inoue, H. Yokoyama, M. Shinohara and T. Murashita, GaAs/AlAs quantum structures grown by atomic layer epitaxy 267 (1992) 34
K. Ueno, H. Abe, K. Saiki, A. Koma, H. Oigawa and Y. Nannichi, Hetero-epitaxy of layered compound semiconductor GaSe onto GaAs surfaces for very effective passivation of nanometer structures 267 (1992) 43
M. Grundmann, A. Krost and D. Bimberg, Crystallographic and optical properties of InP/Si(001) grown by low temperature MOCVD process 267 (1992) 47
S. Yoshida, H. Okumura, S. Misawa and E. Sakuma, Hetero-epitaxial growth of cubic GaN on GaAs by gas-source molecular beam epitaxy 267 (1992) 50
M.-L. Ke, J.S. Rimmer, B. Hamilton, M. Missous, B. Khamsehpour, J.H. Evans, K.E. Singer and P. Zalm, Optical properties of GaAs Si σ-doped superlattices 267 (1992) 65
J.H. Thompson, D.A. Ritchie, G.A.C. Jones, E.H. Linfield, J.E.F. Frost, A.C. Churchill, G.W. Smith, D. Lee, M. Houlton and C.R. Whitehouse, Dopant patterning of MBE GaAs during growth by very low energy focussed tin ion beam deposition 267 (1992) 69
K.Muraki, S. Fukatsu, Y. Shiraki and R. Ito, Anomalies in photoluminescence linewidth of InGaAs/GaAs strained-layer quantum wells 267 (1992) 107
X. Zhang, K. Onabe, Y. Nitta, B. Zhang, S. Fukatsu, Y. Shiraki and R. Ito, Optical characterization of band-edge lineups in GaAs/$GaAs_{1-x}P_x$ strained-layer quantum wells 267 (1992) 110
S. Zhang, N. Kobayashi and Y. Horikoshi, Growth and characterization of thin ZnSe/GaAs/ZnSe quantum wells 267 (1992) 124
Y. Yamada, Y. Masumoto and T. Taguchi, Hydrostatic pressure dependence of two-dimensional exciton luminescence in ZnSe/ZnS strained-layer superlattices 267 (1992) 129
E. Deleporte, G. Peter, J.M. Berroir and C. Delalande, Optical investigations of a CdTe/(Cd, Zn)Te quantum well separate confinement heterostructure 267 (1992) 137
T. Taguchi, T. Ohno and Y. Nozue, Localization and relaxation of excitons in CdZnS/ZnS strained-layer superlattices studied by photoluminescence excitation and photocurrent spectroscopies 267 (1992) 141
S. Jackson, J.P. Goodwin, T.J. Gregory, J.E. Nicholls, W.E. Hagston, B. Lunn and D.E. Ashenford, Vertical transport in magnetic II-VI superlattices by optical methods 267 (1992) 145
B. Deveaud, A. Chomette, N. Roy, B. Sermage and D.S. Katzer, Optical characterization of the interface in GaAs/AlAs quantum wells 267 (1992) 199
R. Nötzel, L. Däweritz, N.N. Ledentsov and K. Ploog, Electronic properties of semiconductor quantum-wire structures directly grown on (311) surfaces 267 (1992) 209
K. Brunner, G. Abstreiter, M. Walther, G. Böhm and G. Tränkle, Optical characterization of GaAs/AlGaAs nanostructures fabricated by focussed laser beam induced thermal interdiffusion 267 (1992) 218
M.A. Foad, A.P. Smart, M. Watt, C.M. Sotomayor Torres, W. Kuhn, H.P. Wagner, H. Leiderer, S. Bauer, C.D.W. Wilkinson, W. Gebhardt and M. Razeghi, Optical assessment of reactive ion etched ZnTe and ZnSe for nanostructures 267 (1992) 223
H. Asahi, S.J. Yu, J. Takizawa, S.G. Kim, Y. Okuno, T. Taneko, S. Emura, S. Gonda, H. Kubo, C. Hamaguchi and Y. Hirayama, InGaAsP/InP quantum wires fabricated by focused Ga ion beam implantation 267 (1992) 232

T. Fukui, S. Ando, T. Honda and T. Toriyama, GaAs tetrahedral quantum dot structures fabricated using selective area MOCVD 267 (1992) 236

J.Y. Marzin, A. Izrael, L. Birotheau, N. Roy, R. Azoulay, D. Robein, J.-L. Benchimol, L. Henry, V. Thierry-Mieg, F.R. Ladan and L. Taylor, Luminescence of narrow RIE etched $In_{1-x}Ga_xAs/InP$ and $GaAs/Ga_{1-x}Al_xAs$ quantum wires 267 (1992) 253

J. Christen, E. Kapon, E. Colas, D.M. Hwang, L.M. Schiavone, M. Grundmann and D. Bimberg, Cathodoluminescence investigation of lateral carrier confinement in GaAs/AlGaAs quantum wires grown by OMCVD on nonplanar substrates 267 (1992) 257

J. Wagner, A. Hülsmann, G. Kaufel and K. Köhler, Raman spectroscopic assessment of laterally structured δ-doped GaAs:Si 267 (1992) 274

M. Kasu, H. Ando, H. Saito and T. Fukui, Polarized photoluminescence of fractional layer superlattices 267 (1992) 300

J. Shah, K. Leo, E. Göbel, S. Schmitt-Rink, T. Damen, W. Schäfer and K. Köhler, Quantum beats of excitons in quantum wells 267 (1992) 304

O. Brandt, H. Lage, G.C. La Rocca, A. Heberle and K. Ploog, Role of broken translational invariance for the optical response of excitons in low-dimensional semiconductors 267 (1992) 319

T. Ishihara, X. Hong, J. Ding and A.V. Nurmikko, Dielectric confinement effect for exciton and biexciton states in PbI_4-based two-dimensional semiconductor structures 267 (1992) 323

M. Zachau, J.A. Kash and W.T. Masselink, The role of coherence length of excitons in thin quantum wells 267 (1992) 327

Ph. Roussignol, P. Rolland, R. Ferreira, C. Delalande, G. Bastard, A. Vinattieri, L. Carraresi, M. Colocci and B. Etienne, Time-resolved spin-polarization spectroscopy in GaAs/AlGaAs quantum wells 267 (1992) 360

P.C. Harness, J.H. Evans, B. Khamsehpour, W.S. Truscott, K.E. Singer, M.-L. Ke, J.S. Rimmer and B. Hamilton, Optical and electrical measurements on AlGaAs/GaAs resonant tunneling structures incorporating superlattice energy filters 267 (1992) 401

N.J. Pulsford and K. Ploog, Zone-folded minibands in a GaAs/AlGaAs superlattice 267 (1992) 445

K. Asami, H. Asahi, T. Watanabe, S. Gonda, H. Okumura and S. Yoshida, Photoluminescence and electroreflectance of GaP/AlP superlattices grown by gas source MBE 267 (1992) 450

R. Cingolani, Y.H. Zhang, R. Rinaldi, M. Ferrara and K. Ploog, Momentum conservation of the electron–hole recombination near the one-component to two-component carrier plasma transition 267 (1992) 457

M. Dutta, H. Shen, D.D. Smith, K.K. Choi and P.G. Newman, Localization of electrons by electric field in GaAs/AlAs Γ–X coupled structures 267 (1992) 474

E. Lugagne-Delpon, P. Voisin, J.P. André, J.N. Patillon and M. Voos, Optical properties of MOCVD-grown AlInAs/InP type-II superlattices 267 (1992) 479

D.G. Hayes, M.S. Skolnick, D.M. Whittaker, P.E. Simmonds, L.L. Taylor, S.J. Bass and L. Eaves, Magneto-optics of wide modulation doped quantum wells: Landau level pinning phenomena 267 (1992) 493

T. Tezuka, A. Kurobe, Y. Ashizawa, H. Yoshida and M. Nakamura, Effects of residual doping on the quantum confined Stark effect in p–i–n multiple quantum well structures 267 (1992) 518

T.A. Fisher, P.E. Simmonds, M.S. Skolnick, D.M. Whittaker, R.S. Smith and N.A. McLean, Carrier density dependent effects on the Fermi energy edge singularity in quantum wells containing two occupied subbands 267 (1992) 528

L. Viña, L. Muñoz, N. Mestres, E.S. Koteles, D.C. Bertolet and K.M. Lau, Magneto-optical properties of quantum wells under biaxial tensile strain 267 (1992) 533
B. Deveaud, A. Chomette, F. Clérot, B. Lambert, P. Auvray, M. Gauneau and A. Regreny, Direct probing of vertical electron movement in superlattices by sub-picosecond luminescence 267 (1992) 558
E. Okuno, J. Kondo, N. Sawaki and I. Akasaki, Real space transfer and modulation of electron mobility in GaAs/AlGaAs double quantum well structures 267 (1992) 570
T. Fukui, K. Tsubaki, H. Saito, M. Kasu and T. Honda, Fractional superlattices grown by MOCVD and their device applications 267 (1992) 588
E. Kapon, D.M. Hwang, M. Walther, R. Bhat and N.G. Stoffel, Two-dimensional quantum confinement in multiple quantum wire lasers grown by OMCVD on V-grooved substrates 267 (1992) 593
Y. Yamamoto, S. Machida and G. Björk, Cavity quantum electrodynamics in quantum well lasers 267 (1992) 605
Y. Honda, Y. Lee, M. Yamanishi, N. Ochi, T. Shiotani and I. Suemune, Systematic alterations of excitonic spontaneous emission through continuous tuning of emission wavelength in AlGaAs quantum microcavities 267 (1992) 612
J. Ding, H. Jeon, T. Ishihara, A.V. Nurmikko, H. Luo, N. Samarth and J. Furdyna, Excitonic gain and stimulated emission in ZnSe-based quantum wells up to room temperature 267 (1992) 616
T. Mishina, F. Sasaki and Y. Masumoto, Ultrafast optical nonlinearities in type-II AlGaAs/AlAs multiple-quantum-well structures and their device applicability 267 (1992) 634
L.M. Weegels, E.-J. Vonken, J.E.M. Haverkort, M.R. Leys and J.H. Wolter, A novel mechanism for light-activated switching in pseudomorphic heterostructures 267 (1992) 638

Magnetic measurements

J. Wilhelm, W. Wegscheider and G. Abstreiter, Sharp doping profiles and two-dimensional electron systems in Ge based heterostructures 267 (1992) 90
R.T. Grimes, T.J.B.M. Janssen, M.B. Stanaway, C.J.G.M. Langerak, J. Singleton, D.E. Ashenford, B. Lunn, G. Hill and J.M. Chamberlain, The two-dimensional electron gas at the CdTe/InSb interface: Cyclotron resonance and Shubnikov–de Haas investigations 267 (1992) 133
S. Jackson, J.P. Goodwin, T.J. Gregory, J.E. Nicholls, W.E. Hagston, B. Lunn and D.E. Ashenford, Vertical transport in magnetic II-VI superlattices by optical methods 267 (1992) 145
D. Heitmann, K. Kern, T. Demel, P. Grambow, K. Ploog and Y.H. Zhang, Spectroscopy of quantum dots and antidots 267 (1992) 245
J.P. Bird, A.D.C. Grassie, M. Lakrimi, K.M. Hutchings, P. Meeson, J.J. Harris and C.T. Foxon, Coherence limiting length scale in ultra high mobility GaAs/AlGaAs heterojunction wires 267 (1992) 277
M.P. Stopa, Self-consistent electronic structure and optical selection rules for tetrahedral quantum dots 267 (1992) 286
M.J. Lawless, R.J. Nicholas, M.J. McNamee, W. Hayes, D.E. Ashenford and B. Lunn, Magneto-optical studies of CdTe : $Cd_{1-x}Mn_xTe$ superlattices 267 (1992) 354
E.E. Mendez, Interband magneto-tunneling in polytype type II heterostructures 267 (1992) 370
L.A. Cury, D.K. Maude, F. Aristone, J.C. Portal, D.L. Sivco, A.Y. Cho and G. Hill, The influence of a two- or three-dimensional electron gas in the emitter of resonant tunnelling structures 267 (1992) 383
H. Asahi, M. Tewordt, R.T. Syme, M.J. Kelly, V.J. Law, J.E.F. Frost, D.A. Ritchie, G.A.C. Jones and M. Pepper, Fine structure in the I–V characteristics of GaAs/AlGaAs submicron diameter triple barrier diodes 267 (1992) 388

F. Calle, J.M. Calleja, C. Tejedor, L. Viña, Double Raman resonances by light and heavy magneto-excitons in GaAs/AlAs multiquantum wells 267 (1992) 418
N.J. Pulsford and K. Ploog, Zone-folded minibands in a GaAs/AlGaAs superlattice 267 (1992) 445
J. Scriba, S. Seitz, A. Wixforth, J.P. Kotthaus, G. Tuttle, J.H. English and H. Kroemer, Electronic properties and far infrared spectroscopy of InAs/AlSb quantum wells 267 (1992) 483
J.-P. Cheng, B.D. McCombe and G. Brozak, Impurity-bound magnetopolarons in confined structures 267 (1992) 488
D.G. Hayes, M.S. Skolnick, D.M. Whittaker, P.E. Simmonds, L.L. Taylor, S.J. Bass and L. Eaves, Magneto-optics of wide modulation doped quantum wells: Landau level pinning phenomena 267 (1992) 493
M. Nithisoontorn, R. Dum, K. Unterrainer, J.S. Michaelis, E. Gornik, N. Sawaki and H. Kano, Two-photon magnetoabsorption in GaAs/AlGaAs multiple quantum wells 267 (1992) 505
A. Fasolino, G. Platero, M. Potemski, J.C. Maan, K. Ploog and G. Weimann, Interband magneto-optics in GaAs/AlGaAs quantum wells in a parallel field 267 (1992) 509
A. Wixforth, M. Sundaram, K. Ensslin, J.H. English and A.C. Gossard, Electron plasma resonances in wide parabolic quantum wells 267 (1992) 523
T.A. Fisher, P.E. Simmonds, M.S. Skolnick, D.M. Whittaker, R.S. Smith and N.A. McLean, Carrier density dependent effects on the Fermi energy edge singularity in quantum wells containing two occupied subbands 267 (1992) 528
L. Viña, L. Muñoz, N. Mestres, E.S. Koteles, D.C. Bertolet and K.M. Lau, Magneto-optical properties of quantum wells under biaxial tensile strain 267 (1992) 533
Z. Barticevic, M. Pacheco and F. Claro, Electronic and optical spectrum for a superlattice in parallel magnetic and electric fields: Six-band model 267 (1992) 545
C. Nguyen, K. Ensslin and H. Kroemer, Magneto-transport in InAs/AlSb quantum wells with large electron concentration modulation 267 (1992) 549
H. Noguchi, T. Takamasu, N. Miura and H. Sakaki, Observation of optical-phonon-scattering inhibited region in longitudinal magnetoresistance in superlattices 267 (1992) 562
T. Kitatani, J.P. Bird and Y. Ochiai, The low-temperature magnetoresistance of Si/Nb superlattices 267 (1992) 583

Molecular beam epitaxy

P.I. Tamborenea, Z.-W. Lai and S. Das Sarma, Molecular beam epitaxial growth: simulation and continuum theory 267 (1992) 1
T. Hayakawa, M. Morishima, M. Nagai, H. Horie and K. Matsumoto, Limiting mechanism of molecular beam epitaxial growth of AlGaAs on (111) face 267 (1992) 8
M. Ishida, S. Yuda, K. Kamigaki, H. Terauchi, S. Hiyamizu and N. Sano, Wire-like island growth of epitaxial NiAl on AlAs by molecular beam epitaxy 267 (1992) 54
J.H. Thompson, D.A. Ritchie, G.A.C. Jones, E.H. Linfield, J.E.F. Frost, A.C. Churchill, G.W. Smith, D. Lee, M. Houlton and C.R. Whitehouse, Dopant patterning of MBE GaAs during growth by very low energy focussed tin ion beam deposition 267 (1992) 69
J. Wilhelm, W. Wegscheider and G. Abstreiter, Sharp doping profiles and two-dimensional electron systems in Ge based heterostructures 267 (1992) 90
S. Zhang, N. Kobayashi and Y. Horikoshi, Growth and characterization of thin ZnSe/GaAs/ZnSe quantum wells 267 (1992) 124
O. Brandt, L. Tapfer, K. Ploog, R. Bierwolf, F. Phillipp and M. Hohenstein, Direct synthesis of InAs quantum dots in single-crystalline GaAs matrix by molecular beam epitaxy 267 (1992) 204

R.J. Warburton, M.J. Lawless and R.J. Nicholas, Valence band spin of semiconductor superlattices 267 (1992) 365

Niobium

T. Kitatani, J.P. Bird and Y. Ochiai, The low-temperature magnetoresistance of Si/Nb superlattices 267 (1992) 583

Nitrides

S. Yoshida, H. Okumura, S. Misawa and E. Sakuma, Hetero-epitaxial growth of cubic GaN on GaAs by gas-source molecular beam epitaxy 267 (1992) 50

Organometallic vapour deposition

S.S. Chang, S. Ando and T. Fukui, Fabrication of high density ultrafine GaAs quantum wire array structures using selective metalorganic chemical vapor deposition 267 (1992) 214

T. Fukui, S. Ando, T. Honda and T. Toriyama, GaAs tetrahedral quantum dot structures fabricated using selective area MOCVD 267 (1992) 236

J. Christen, E. Kapon, E. Colas, D.M. Hwang, L.M. Schiavone, M. Grundmann and D. Bimberg, Cathodoluminescence investigation of lateral carrier confinement in GaAs/AlGaAs quantum wires grown by OMCVD on nonplanar substrates 267 (1992) 257

Photoconductivity

A. Ishida, K. Matsushita, T. Sugimoto, H. Akimoto, S. Mohammadnejad and H. Fujiyasu, Photoconductive properties of PbSrS/PbSnS superlattices 267 (1992) 149

H. Ohno, E.E. Mendez, A. Alexandrou and J.M. Hong, Tamm states in superlattices 267 (1992) 161

M.S. Kiledjian, J.N. Schulman and K.L. Wang, Intersubband quantum well absorption with resonant barriers 267 (1992) 454

J.-P. Cheng, B.D. McCombe and G. Brozak, Impurity-bound magnetopolarons in confined structures 267 (1992) 488

Y. Kajikawa, M. Hata, T. Isu and Y. Katayama, Linear polarization effects in (110) quantum wells for light propagating perpendicular to the well planes 267 (1992) 501

M. Nithisoontorn, R. Dum, K. Unterrainer, J.S. Michaelis, E. Gornik, N. Sawaki and H. Kano, Two-photon magnetoabsorption in GaAs/AlGaAs multiple quantum wells 267 (1992) 505

H.C. Liu, A.G. Steele, M. Buchanan and Z.R. Wasilewski, Infrared transmission and photocurrent spectroscopic study of a coupled asymmetrical quantum well structure 267 (1992) 514

T. Tezuka, A. Kurobe, Y. Ashizawa, H. Yoshida and M. Nakamura, Effects of residual doping on the quantum confined Stark effect in p–i–n multiple quantum well structures 267 (1992) 518

M. Nakayama, I. Tanaka, T. Doguchi, S. Koh, H. Nishimura, K. Kawashima and K. Fujiwara, Electroreflectance and transfer-matrix analysis of Stark-ladder transitions in a GaAs/AlAs superlattice 267 (1992) 537

V.L. Alperovich, V.A. Haisler, A.S. Jaroshevich, N.T. Moshegov, A.S. Terekhov, A.I. Toropov and V.A. Tkachenko, Electron and hole tunneling resonances of Wannier–Stark states in GaAs/AlAs superlattices 267 (1992) 541

H.T. Grahn, W. Müller, K. von Klitzing and K. Ploog, Electric-field domains in superlattices: A comparison of transport and optical generation 267 (1992) 579

K. Kawashima, K. Fujiwara, T. Yamamoto, M. Sigeta and K. Kobayashi, Electro-optical bistability in GaAs/AlAs superlattices with different miniband widths 267 (1992) 643

Photon emission

K. Hirakawa, Y. Hashimoto and T. Ikoma, Transient of microscopic valence-charge distribution and electrostatic potential at GaAs/AlAs heterointerfaces 267 (1992) 166

Piezoelectric effect

Y. Yin, D. Yan, F.H. Pollak, M.S. Hybertsen, J.M. Vandenberg and J.C. Bean, Piezoreflectance of strained Si/Ge superlattices grown on Ge(001) 267 (1992) 99

G. Brozak, B.V. Shanabrook, D. Gammon, D.A. Broido, R. Beresford and W.I. Wang, Intersubband transitions in piezoelectric superlattices 267 (1992) 120

Raman scattering

D. Richards, J. Wagner, M. Ramsteiner, U. Ekenberg, G. Fasol and K. Ploog, Effect of spatial localisation of dopant atoms on the confining potential and electron subband structure in δ-doped GaAs:Si 267 (1992) 61

D.H. Woo, D.W. Kim, Y.A. Leem, J.C. Woo, J.E. Oh and T.M. Hsu, Optical characterization of coherently strained short-period superlattice $(InAs)_n(AlAs)_n$ grown by molecular beam epitaxy 267 (1992) 114

G. Brozak, B.V. Shanabrook, D. Gammon, D.A. Broido, R. Beresford and W.I. Wang, Intersubband transitions in piezoelectric superlattices 267 (1992) 120

B. Jusserand, F. Mollot, R. Planel, E. Molinari and S. Baroni, Atomic intermixing in short period GaAs/AlAs superlattices 267 (1992) 171

C. López, R.J. Springett, R.J. Nicholas, P.J. Walker, N.J. Mason and W. Hayes, Interface studies of InAs/GaSb superlattices by Raman scattering 267 (1992) 176

M.A. Foad, A.P. Smart, M. Watt, C.M. Sotomayor Torres, W. Kuhn, H.P. Wagner, H. Leiderer, S. Bauer, C.D.W. Wilkinson, W. Gebhardt and M. Razeghi, Optical assessment of reactive ion etched ZnTe and ZnSe for nanostructures 267 (1992) 223

J. Wagner, A. Hülsmann, G. Kaufel and K. Köhler, Raman spectroscopic assessment of laterally structured δ-doped GaAs:Si 267 (1992) 274

P. Castrillo, G. Armelles, P.S. Domínguez, J. Meléndez, F. Briones and K. Ploog, Growth and characterization of AlAs/InAs superlattices on {100},{211} and {311} GaAs substrates 267 (1992) 413

F. Calle, J.M. Calleja, C. Tejedor, L. Viña, Double Raman resonances by light and heavy magneto-excitons in GaAs/AlAs multiquantum wells 267 (1992) 418

H. Tanino and A. Amano, Raman scattering study of ultra-thin layers of AlAs buried in GaAs 267 (1992) 422

M. Hangyo, M. Mitsuhara, S. Nakashima and M. Nakayama, Raman spectra of GaAs/AlAs superlattices with fluctuation of period under off- and near-resonant conditions 267 (1992) 426

G. Scamarcio, E. Molinari, L. Tapfer, M. Lugarà and K. Ploog, Infrared reflectivity and Raman spectra of $(GaAs)_m(AlAs)_n$ ultrathin layer superlattices 267 (1992) 430

Y. Iwai, M. Yano, R. Hagiwara and M. Inoue, Raman scattering from InAs/AlSb ultrathin-layer superlattices grown by molecular beam epitaxy 267 (1992) 434

D.J. Lockwood, Application of high-resolution Raman spectroscopy to the study of superlattice acoustic phonons 267 (1992) 438

Reflection spectroscopy

Y. Yin, D. Yan, F.H. Pollak, M.S. Hybertsen, J.M. Vandenberg and J.C. Bean, Piezoreflectance of strained Si/Ge superlattices grown on Ge(001) 267 (1992) 99

H. Qiang, F.H. Pollak, C. Mailhiot, G.D. Pettit and J.M. Woodall, Uniaxial stress study of the quantum transitions in a strained layer (001) $In_{0.21}Ga_{0.79}As/GaAs$ single quantum well 267 (1992) 103
X. Zhang, K. Onabe, Y. Nitta, B. Zhang, S. Fukatsu, Y. Shiraki and R. Ito, Optical characterization of band-edge lineups in $GaAs/GaAs_{1-x}P_x$ strained-layer quantum wells 267 (1992) 110
M.J. Lawless, R.J. Nicholas, M.J. McNamee, W. Hayes, D.E. Ashenford and B. Lunn, Magneto-optical studies of $CdTe:Cd_{1-x}Mn_xTe$ superlattices 267 (1992) 354
P. Castrillo, G. Armelles, P.S. Domínguez, J. Meléndez, F. Briones and K. Ploog, Growth and characterization of AlAs/InAs superlattices on {100},{211} and {311} GaAs substrates 267 (1992) 413
T. Matsuoka, T. Nakazawa, T. Ohya, T. Miyatake, M. Yamaguchi, K. Taniguchi, C. Hamaguchi, H. Kato and Y. Watanabe, Weakly allowed optical transition due to the zone-folding effect in $(GaAs)_n/(AlAs)_n$ superlattices 267 (1992) 470
M. Nakayama, I. Tanaka, T. Doguchi, S. Koh, H. Nishimura, K. Kawashima and K. Fujiwara, Electroreflectance and transfer-matrix analysis of Stark-ladder transitions in a GaAs/AlAs superlattice 267 (1992) 537

Secondary ion mass spectroscopy
S. Fukatsu, K. Fujita, H. Yaguchi, Y. Shiraki and R. Ito, Atomistic picture of interfacial mixing in the Si/Ge heterostructures 267 (1992) 79
J. Wilhelm, W. Wegscheider and G. Abstreiter, Sharp doping profiles and two-dimensional electron systems in Ge based heterostructures 267 (1992) 90

Selenium
A. Koma, New epitaxial growth method for modulated structures using Van der Waals interactions 267 (1992) 29

Semiconductors
G. Bastard and R. Ferreira, Spin-flip scattering times in semiconductor quantum wells 267 (1992) 335
H. Munekata, T. Penney and L.L. Chang, Diluted magnetic III-V semiconductor structures 267 (1992) 342

Silicon
D. Richards, J. Wagner, M. Ramsteiner, U. Ekenberg, G. Fasol and K. Ploog, Effect of spatial localisation of dopant atoms on the confining potential and electron subband structure in δ-doped GaAs:Si 267 (1992) 61
K.L. Wang, R.P.G. Karunasiri and J.S. Park, Intersubband absorption in $Si_{1-x}Ge_x/Si$ and σ-doped Si multiple quantum wells 267 (1992) 74
S. Fukatsu, K. Fujita, H. Yaguchi, Y. Shiraki and R. Ito, Atomistic picture of interfacial mixing in the Si/Ge heterostructures 267 (1992) 79
K. Ismail, B.S. Meyerson, J. Nocera, F.F. Fang and P.J. Wang, Effect of strain in Si/SiGe modulation-doped quantum wells 267 (1992) 94
Y. Yin, D. Yan, F.H. Pollak, M.S. Hybertsen, J.M. Vandenberg and J.C. Bean, Piezoreflectance of strained Si/Ge superlattices grown on Ge(001) 267 (1992) 99
F. Laruelle, A. Ramdane and G. Faini, Experimental investigation of ionized impurity scattering in double barrier resonant tunneling diodes 267 (1992) 396
D.J. Lockwood, Application of high-resolution Raman spectroscopy to the study of superlattice acoustic phonons 267 (1992) 438

T. Kitatani, J.P. Bird and Y. Ochiai, The low-temperature magnetoresistance of Si/Nb superlattices 267 (1992) 583

Sulphides

A. Koma, New epitaxial growth method for modulated structures using Van der Waals interactions 267 (1992) 29

Y. Yamada, Y. Masumoto and T. Taguchi, Hydrostatic pressure dependence of two-dimensional exciton luminescence in ZnSe/ZnS strained-layer superlattices 267 (1992) 129

T. Taguchi, T. Ohno and Y. Nozue, Localization and relaxation of excitons in CdZnS/ZnS strained-layer superlattices studied by photoluminescence excitation and photocurrent spectroscopies 267 (1992) 141

A. Ishida, K. Matsushita, T. Sugimoto, H. Akimoto, S. Mohammadnejad and H. Fujiyasu, Photoconductive properties of PbSrS/PbSnS superlattices 267 (1992) 149

Superconductivity

T. Kitatani, J.P. Bird and Y. Ochiai, The low-temperature magnetoresistance of Si/Nb superlattices 267 (1992) 583

Superlattices

M.-L. Ke, J.S. Rimmer, B. Hamilton, M. Missous, B. Khamsehpour, J.H. Evans, K.E. Singer and P. Zalm, Optical properties of GaAs Si σ-doped superlattices 267 (1992) 65

P. Vogl, J. Olajos, W. Wegscheider and G. Abstreiter, Electronic structure and optical properties of short-period α-Sn_nGe_m superlattices 267 (1992) 83

T. Ito and T. Ohno, Pseudopotential approach to band structure and stability for GaAs/Ge superlattices 267 (1992) 87

Y. Yin, D. Yan, F.H. Pollak, M.S. Hybertsen, J.M. Vandenberg and J.C. Bean, Piezoreflectance of strained Si/Ge superlattices grown on Ge(001) 267 (1992) 99

D.H. Woo, D.W. Kim, Y.A. Leem, J.C. Woo, J.E. Oh and T.M. Hsu, Optical characterization of coherently strained short-period superlattice $(InAs)_n(AlAs)_n$ grown by molecular beam epitaxy 267 (1992) 114

G. Brozak, B.V. Shanabrook, D. Gammon, D.A. Broido, R. Beresford and W.I. Wang, Intersubband transitions in piezoelectric superlattices 267 (1992) 120

Y. Yamada, Y. Masumoto and T. Taguchi, Hydrostatic pressure dependence of two-dimensional exciton luminescence in ZnSe/ZnS strained-layer superlattices 267 (1992) 129

T. Taguchi, T. Ohno and Y. Nozue, Localization and relaxation of excitons in CdZnS/ZnS strained-layer superlattices studied by photoluminescence excitation and photocurrent spectroscopies 267 (1992) 141

S. Jackson, J.P. Goodwin, T.J. Gregory, J.E. Nicholls, W.E. Hagston, B. Lunn and D.E. Ashenford, Vertical transport in magnetic II-VI superlattices by optical methods 267 (1992) 145

A. Ishida, K. Matsushita, T. Sugimoto, H. Akimoto, S. Mohammadnejad and H. Fujiyasu, Photoconductive properties of PbSrS/PbSnS superlattices 267 (1992) 149

H. Ohno, E.E. Mendez, A. Alexandrou and J.M. Hong, Tamm states in superlattices 267 (1992) 161

B. Jusserand, F. Mollot, R. Planel, E. Molinari and S. Baroni, Atomic intermixing in short period GaAs/AlAs superlattices 267 (1992) 171

C. López, R.J. Springett, R.J. Nicholas, P.J. Walker, N.J. Mason and W. Hayes, Interface studies of InAs/GaSb superlattices by Raman scattering 267 (1992) 176

K. Tsubaki, T. Honda, H. Saito and T. Fukui, Density of states of AlAs/GaAs fractional layer superlattice quantum wires in a modulation doped structure 267 (1992) 270
M. Kasu, H. Ando, H. Saito and T. Fukui, Polarized photoluminescence of fractional layer superlattices 267 (1992) 300
M. Kriechbaum, H. Krenn, H. Enichlmair, N. Frank and G. Bauer, Observation of miniband formation in light induced magnetization in diluted magnetic $Pb_{1-x}Mn_xTe/PbTe$ quantum wells 267 (1992) 349
M.J. Lawless, R.J. Nicholas, M.J. McNamee, W. Hayes, D.E. Ashenford and B. Lunn, Magneto-optical studies of $CdTe:Cd_{1-x}Mn_xTe$ superlattices 267 (1992) 354
R.J. Warburton, M.J. Lawless and R.J. Nicholas, Valence band spin of semiconductor superlattices 267 (1992) 365
P. Castrillo, G. Armelles, P.S. Domínguez, J. Meléndez, F. Briones and K. Ploog, Growth and characterization of AlAs/InAs superlattices on {100},{211} and {311} GaAs substrates 267 (1992) 413
M. Hangyo, M. Mitsuhara, S. Nakashima and M. Nakayama, Raman spectra of GaAs/AlAs superlattices with fluctuation of period under off- and near-resonant conditions 267 (1992) 426
G. Scamarcio, E. Molinari, L. Tapfer, M. Lugarà and K. Ploog, Infrared reflectivity and Raman spectra of $(GaAs)_m(AlAs)_n$ ultrathin layer superlattices 267 (1992) 430
Y. Iwai, M. Yano, R. Hagiwara and M. Inoue, Raman scattering from InAs/AlSb ultrathin-layer superlattices grown by molecular beam epitaxy 267 (1992) 434
D.J. Lockwood, Application of high-resolution Raman spectroscopy to the study of superlattice acoustic phonons 267 (1992) 438
N.J. Pulsford and K. Ploog, Zone-folded minibands in a GaAs/AlGaAs superlattice 267 (1992) 445
K. Asami, H. Asahi, T. Watanabe, S. Gonda, H. Okumura and S. Yoshida, Photoluminescence and electroreflectance of GaP/AlP superlattices grown by gas source MBE 267 (1992) 450
T. Matsuoka, T. Nakazawa, T. Ohya, T. Miyatake, M. Yamaguchi, K. Taniguchi, C. Hamaguchi, H. Kato and Y. Watanabe, Weakly allowed optical transition due to the zone-folding effect in $(GaAs)_n/(AlAs)_n$ superlattices 267 (1992) 470
M. Dutta, H. Shen, D.D. Smith, K.K. Choi and P.G. Newman, Localization of electrons by electric field in GaAs/AlAs Γ–X coupled structures 267 (1992) 474
E. Lugagne-Delpon, P. Voisin, J.P. André, J.N. Patillon and M. Voos, Optical properties of MOCVD-grown AlInAs/InP type-II superlattices 267 (1992) 479
H. Schneider, K. Kawashima, K. Fujiwara and K. Ploog, Electric field-induced delocalization effects in GaAs/AlAs single- and double-period superlattices 267 (1992) 497
M. Nakayama, I. Tanaka, T. Doguchi, S. Koh, H. Nishimura, K. Kawashima and K. Fujiwara, Electroreflectance and transfer-matrix analysis of Stark-ladder transitions in a GaAs/AlAs superlattice 267 (1992) 537
V.L. Alperovich, V.A. Haisler, A.S. Jaroshevich, N.T. Moshegov, A.S. Terekhov, A.I. Toropov and V.A. Tkachenko, Electron and hole tunneling resonances of Wannier–Stark states in GaAs/AlAs superlattices 267 (1992) 541
Z. Barticevic, M. Pacheco and F. Claro, Electronic and optical spectrum for a superlattice in parallel magnetic and electric fields: Six-band model 267 (1992) 545
B. Deveaud, A. Chomette, F. Clérot, B. Lambert, P. Auvray, M. Gauneau and A. Regreny, Direct probing of vertical electron movement in superlattices by sub-picosecond luminescence 267 (1992) 558
H. Noguchi, T. Takamasu, N. Miura and H. Sakaki, Observation of optical-phonon-scattering inhibited region in longitudinal magnetoresistance in superlattices 267 (1992) 562

J.F. Palmier, G. Etemadi, A. Sibille, M. Hadjazi, F. Mollot and R. Planel, High field miniband conduction in GaAs/AlAs superlattices 267 (1992) 574
H.T. Grahn, W. Müller, K. von Klitzing and K. Ploog, Electric-field domains in superlattices: A comparison of transport and optical generation 267 (1992) 579
T. Kitatani, J.P. Bird and Y. Ochiai, The low-temperature magnetoresistance of Si/Nb superlattices 267 (1992) 583
T. Fukui, K. Tsubaki, H. Saito, M. Kasu and T. Honda, Fractional superlattices grown by MOCVD and their device applications 267 (1992) 588
K. Kawashima, K. Fujiwara, T. Yamamoto, M. Sigeta and K. Kobayashi, Electro-optical bistability in GaAs/AlAs superlattices with different miniband widths 267 (1992) 643

Surface phonons and adsorbate vibrations
H. Tanino and A. Amano, Raman scattering study of ultra-thin layers of AlAs buried in GaAs 267 (1992) 422
G. Scamarcio, E. Molinari, L. Tapfer, M. Lugarà and K. Ploog, Infrared reflectivity and Raman spectra of $(GaAs)_m(AlAs)_n$ ultrathin layer superlattices 267 (1992) 430

Surface plasmons
A. Wixforth, M. Sundaram, K. Ensslin, J.H. English and A.C. Gossard, Electron plasma resonances in wide parabolic quantum wells 267 (1992) 523

Surface segregation
S. Fukatsu, K. Fujita, H. Yaguchi, Y. Shiraki and R. Ito, Atomistic picture of interfacial mixing in the Si/Ge heterostructures 267 (1992) 79

Surface states and interface states
H. Ohno, E.E. Mendez, A. Alexandrou and J.M. Hong, Tamm states in superlattices 267 (1992) 161

Surface stress
K. Ismail, B.S. Meyerson, J. Nocera, F.F. Fang and P.J. Wang, Effect of strain in Si/SiGe modulation-doped quantum wells 267 (1992) 94
H. Qiang, F.H. Pollak, C. Mailhiot, G.D. Pettit and J.M. Woodall, Uniaxial stress study of the quantum transitions in a strained layer (001) $In_{0.21}Ga_{0.79}As/GaAs$ single quantum well 267 (1992) 103
K.Muraki, S. Fukatsu, Y. Shiraki and R. Ito, Anomalies in photoluminescence linewidth of InGaAs/GaAs strained-layer quantum wells 267 (1992) 107
X. Zhang, K. Onabe, Y. Nitta, B. Zhang, S. Fukatsu, Y. Shiraki and R. Ito, Optical characterization of band-edge lineups in $GaAs/GaAs_{1-x}P_x$ strained-layer quantum wells 267 (1992) 110
D.H. Woo, D.W. Kim, Y.A. Leem, J.C. Woo, J.E. Oh and T.M. Hsu, Optical characterization of coherently strained short-period superlattice $(InAs)_n(AlAs)_n$ grown by molecular beam epitaxy 267 (1992) 114
Y. Yamada, Y. Masumoto and T. Taguchi, Hydrostatic pressure dependence of two-dimensional exciton luminescence in ZnSe/ZnS strained-layer superlattices 267 (1992) 129
T. Taguchi, T. Ohno and Y. Nozue, Localization and relaxation of excitons in CdZnS/ZnS strained-layer superlattices studied by photoluminescence excitation and photocurrent spectroscopies 267 (1992) 141
T. Yamauchi, Y. Arakawa and J.N. Schulman, Quantum wires with strain effect: Tight-binding analysis 267 (1992) 291

K. Fujiwara, K. Kawashima, K. Kobayashi and N. Sano, Enhanced excitonic transitions in strained $In_xGa_{1-x}As/Al_{0.15}Ga_{0.85}As$ quantum well heterostructures 267 (1992) 331
G.E.W. Bauer and H. Sakaki, Polarization anisotropies in quantum wells 267 (1992) 442
A.M. Cohen, S.R. Aladim and G.E. Marques, Hybridization and strain effects on the optical absorption of quantum wells 267 (1992) 464
L. Viña, L. Muñoz, N. Mestres, E.S. Koteles, D.C. Bertolet and K.M. Lau, Magneto-optical properties of quantum wells under biaxial tensile strain 267 (1992) 533

Surface structure
S. Hasegawa, K. Kimura, M. Sato, K. Maehashi and H. Nakashima, Step structures during MBE growth of GaAs and AlGaAs films on vicinal GaAs(110) surfaces inclined toward (111)B 267 (1992) 5
M.D. Pashley, K.W. Haberern and J.M. Gaines, MBE growth on vicinal GaAs(001) surfaces studied by scanning tunneling microscopy 267 (1992) 153
I. Tanaka, S. Ohkouchi, F. Osaka and T. Kato, Scanning tunneling microscopy of thermally cleaned InP surfaces in an arsenic flux 267 (1992) 191

Tellurium
A. Koma, New epitaxial growth method for modulated structures using Van der Waals interactions 267 (1992) 29

Tin
P. Vogl, J. Olajos, W. Wegscheider and G. Abstreiter, Electronic structure and optical properties of short-period α-Sn_nGe_m superlattices 267 (1992) 83

Tunneling
A. Koma, New epitaxial growth method for modulated structures using Van der Waals interactions 267 (1992) 29
N. Inoue, H. Yokoyama, M. Shinohara and T. Murashita, GaAs/AlAs quantum structures grown by atomic layer epitaxy 267 (1992) 34
M.D. Pashley, K.W. Haberern and J.M. Gaines, MBE growth on vicinal GaAs(001) surfaces studied by scanning tunneling microscopy 267 (1992) 153
I. Tanaka, S. Ohkouchi, F. Osaka and T. Kato, Scanning tunneling microscopy of thermally cleaned InP surfaces in an arsenic flux 267 (1992) 191
E.E. Mendez, Interband magneto-tunneling in polytype type II heterostructures 267 (1992) 370
J.P. Eisenstein, T.J. Gramila, L.N. Pfeiffer and K.W. West, Resonant tunneling in GaAs/AlGaAs double quantum wells 267 (1992) 377
L.A. Cury, D.K. Maude, F. Aristone, J.C. Portal, D.L. Sivco, A.Y. Cho and G. Hill, The influence of a two- or three-dimensional electron gas in the emitter of resonant tunnelling structures 267 (1992) 383
H. Asahi, M. Tewordt, R.T. Syme, M.J. Kelly, V.J. Law, J.E.F. Frost, D.A. Ritchie, G.A.C. Jones and M. Pepper, Fine structure in the I–V characteristics of GaAs/AlGaAs submicron diameter triple barrier diodes 267 (1992) 388
Th. Fiig and A.P. Jauho, Self-consistent modelling of resonant tunnelling structures 267 (1992) 392
P.C. Harness, J.H. Evans, B. Khamsehpour, W.S. Truscott, K.E. Singer, M.-L. Ke, J.S. Rimmer and B. Hamilton, Optical and electrical measurements on AlGaAs/GaAs resonant tunneling structures incorporating superlattice energy filters 267 (1992) 401

M.S. Kiledjian, J.N. Schulman, K.L. Wang and K.V. Rousseau, Hole and interband resonant tunneling in GaAs/GaAlAs and InAs/GaSb/AlSb tunnel structures 267 (1992) 405
E.C. Valadares, F.W. Sheard and L. Eaves, Sequential tunneling of holes in p-type semiconductor double-barrier heterostructures 267 (1992) 409
T. Tezuka, A. Kurobe, Y. Ashizawa, H. Yoshida and M. Nakamura, Effects of residual doping on the quantum confined Stark effect in p–i–n multiple quantum well structures 267 (1992) 518
V.L. Alperovich, V.A. Haisler, A.S. Jaroshevich, N.T. Moshegov, A.S. Terekhov, A.I. Toropov and V.A. Tkachenko, Electron and hole tunneling resonances of Wannier–Stark states in GaAs/AlAs superlattices 267 (1992) 541
B. Vinter, N. Vodjdani, V. Berger, E. Böckenhoff and E. Costard, Switching between two mid-infrared intersubband absorption energies in double quantum wells 267 (1992) 601
C.H. Yang, A field-effect quantum tunneling transistor: Observation of negative transconductance and analysis 267 (1992) 630

X-ray diffraction

M. Tanaka, H. Sakakibara, T. Nishinaga, N. Ikarashi and K. Ishida, Growth of CoAl/AlAs/GaAs metal/semiconductor heterostructures by molecular beam epitaxy 267 (1992) 38
S. Yoshida, H. Okumura, S. Misawa and E. Sakuma, Hetero-epitaxial growth of cubic GaN on GaAs by gas-source molecular beam epitaxy 267 (1992) 50
D.H. Woo, D.W. Kim, Y.A. Leem, J.C. Woo, J.E. Oh and T.M. Hsu, Optical characterization of coherently strained short-period superlattice $(InAs)_n(AlAs)_n$ grown by molecular beam epitaxy 267 (1992) 114
L. Tapfer, G.C. La Rocca, H. Lage, R. Cingolani, P. Grambow, A. Fischer, D. Heitmann and K. Ploog, Observation and analysis of quantum wire structures by high-resolution X-ray diffraction 267 (1992) 227
E. Lugagne-Delpon, P. Voisin, J.P. André, J.N. Patillon and M. Voos, Optical properties of MOCVD-grown AlInAs/InP type-II superlattices 267 (1992) 479